



2025

# LACLEDE TIRE CHAIN

PASSENGER · LIGHT & HEAVY TRUCK · TRACTOR & EQUIPMENT

# Laclede Tire Chain Catalog 2025




Scan for more information  
on chain use and selection

ISO 9001 Certified

Tire chains are legal in all states. Visit our website for additional information for specific regulations per state.

## New app for Laclede Tire Chains and Installation Videos

Our new mobile app features a quick tire size look up along with easy access to a variety of chain installation videos.



## Rules for Using Tire Chains:


### IMPORTANT: Prefit Chains Prior to Actual Use!

#### For Your Convenience & Safety:

- Consult owner's manual to see if chains can be used on your vehicle.
- Make certain your tire chains are properly sized for your tires. A proper fit is key to performance.
- Follow directions for installing tire chains. Apply as tightly as possible by hand for maximum chain life.
- Be sure to pull off highway to safe place before installing, servicing or removing tire chains.
- Do not deflate tires to install tire chains.
- Drive approximately 1/4 mile. Stop & retighten. Extra links may be cut off or preferably retained on the fastener arm. Keep chains tight to snug throughout the operation. Only after retightening may rubber adjusters be applied.
- Do not exceed 30 m.p.h. Accelerate and decelerate slowly. Avoid spinning or locking of wheels.
- If a cross chain should fail, stop immediately. Repair or remove. Do Not drive with a broken chain.
- Avoid hitting curbs with tire chains.
- Tire chains are not designed for towing vehicles.


#### NORMAL

(Chains installed as tight as possible by hand.)



#### LOOSE

(Chains loosened by one link each side.)



## Definitions of SAE Classifications

**SAE Class "U"** – Regular (non-reinforced) and lug reinforced passenger tire chains for vehicles with regular (non-restricted) wheel well clearances.

**SAE Class "S"** – Regular (non-reinforced) passenger tire chains and cables for vehicles with restricted wheel well clearances.

**SAE Class "W"** – Those passenger tire chains that use light truck components, as well as some light truck chains.

# TABLE OF CONTENTS

<u>Passenger</u>		PASSENGER
Alpine Premier Diamond Pattern Chain (SAE CLASS S)	Laclede "Snap-Lock" Cable Chain (SAE CLASS S)	
Alpha Trax Passenger (SAE CLASS S)	Laclede "PL Type" Link Chain (SAE CLASS S)	

<u>Light Truck &amp; Heavy Truck</u>			LIGHT TRUCK & HEAVY TRUCK
Alpine Sport (SAE CLASS S)	Extra Durable Alloy Truck Chain	Highway Service Chain	
Alpine Super Sport	V-BAR Reinforced Chain	Alloy Studded Chain	
Alpha Trax Light Truck / SUV (SAE CLASS S)	Square Straight Link Chain	Snap Lock Heavy Truck Cable Chain	
Snap Lock LT Cable Chain (SAE CLASS S)	Truck & Bus Hoop Chain	Mud Service Chain	

<u>Tractor &amp; Equipment</u>		TRACTOR & EQUIPMENT
Loader/Grader Chain	U-Lug Forestry Chain	
Skid Steer Chain	Tractor Chain	
Forklift Chain	Bulk Continuous Tractor Chain	
ATV-UTV Chain	Garden Tractor/Snow Blower Chain	

<u>Replacement Parts</u>	<u>Accessories</u>	<u>Repair Parts</u>	ACCESSORIES & REPAIR PARTS
Bulk Side Chain	Tightening Tools	Side Chain Repair Links	
Bulk Cross Chain	Adjusters	Cross Chain Repair Links	
Fasteners		Pin Couplers	
Cross Chain Hooks		Repair Pliers	

<u>Hardware and Industrial</u>		HARDWARE & INDUSTRIAL
Alloy Tow & Binder Chain – Clevis Type	Load Binders – Ratchet Type	
USA Made Transport Tow & Binder Chain – Clevis Type	Load Binders – Lever Type	
Import Transport Tow & Binder Chain – Clevis Type	Truck-Tough Binders – Ratchet Type	
USA Made & Import Bulk Grade 70 Transport Chain	Grade 80 Load Binders – Ratchet Type	

<u>Tire Chain Specifications</u>			TIRE CHAIN SPECIFICATIONS
Single/Dual Highway Service Chain	Light Truck/Heavy Truck Cable Chain	Roadmaster Tractor Chain	
Single/Dual V-BAR Chain	Single/Dual Triple Mud Service Chain	Forklift Chain	
Square Straight Link Chain	Loader/Grader Chain	ATV/UTV Chain	
Wide Base Twist Link/V-BAR Chain	DUO-Grip H-Pattern Tractor Chain	Garden Tractor/Snow Blower Chain	



**ALPINE PREMIER  
ALPHA TRAX®  
SNAP-LOCK CABLE CHAIN  
PASSENGER LINK CHAIN**

# PASSENGER VEHICLE TIRE FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	Alpine Series	Alpha Trax	"PL" Series	Cable Series
	Alpine Premier	Alpha Trax	Passenger Link Chain	Cable Chain

## 12 Inch Rims

145R12	N/A	N/A	1110	N/A
P145/80R12	N/A	N/A	1110	N/A
155R12	N/A	N/A	1114	1014
P165/70R12	N/A	N/A	1110	1014
P175/70R12	N/A	N/A	1114	1014

## 13 Inch Rims

135R13	N/A	N/A	1110	N/A
145R13	N/A	N/A	1114	1014
P145/80R13	N/A	N/A	1114	1014
155R13	1515	N/A	1114	1014
P155/55R13	N/A	N/A	1110	N/A
P155/70R13	N/A	N/A	1114	1014
P155/80R13	1515	N/A	1114	1014
160R13	N/A	N/A	1114	1014
165R13	1520	N/A	1118	1018
P165/65R13	N/A	N/A	1114	1018
P165/70R13	N/A	N/A	1114	1014
P165/80R13	1520	N/A	1118	1018
175R13	1525	N/A	1122	1026
175/50R13	N/A	N/A	1114	1014
175/60R13	1515	N/A	1114	1014
P175/70R13	1520	N/A	1118	1018
P175/75R13	1525	319AT	1118	1018
P175/80R13	1525	319AT	1122	1026
185R13	1530	N/A	1126	1026
P185/60R13	1515	N/A	1118	1018
P185/70R13	1525	319AT	1118	1026
P185/80R13	1530	323AT	1122	1022
P185/85R13	N/A	N/A	1130	1030
195R13	N/A	N/A	1130	1030
P195/60R13	1520	N/A	1126	1026
P195/70R13	1525	323AT	1126	1026
P195/75R13	N/A	N/A	1130	1030
P205/60R13	1525	319AT	1126	1026
P205/70R13	1530	327AT	1126	1030
P215/50R13	N/A	N/A	1126	1026
P215/60R13	N/A	323AT	1126	1026
P215/65R13	N/A	N/A	1130	1030
P235/50R13	N/A	323AT	1134	1034
P245/50R13	N/A	323AT	1134	1034

## 14 Inch Rims

P145/70R14	N/A	N/A	1114	1014
165R14	1525	N/A	1122	1026
165/65R14	1515	N/A	1114	1018
165/70R14	1520	N/A	1118	1018
P165/75R14	1525	319AT	1118	1018
175R14	1530	N/A	1122	1022
P175/60R14	1515	N/A	1118	1018
P175/65R14	1520	N/A	1118	1018
P175/70R14	1525	319AT	1126	1026
P175/75R14	1525	319AT	1122	1022
P175/80R14	N/A	323AT	1122	1022
185R14	1535	N/A	N/A	N/A
P185/55R14	N/A	N/A	1118	1018
P185/60R14	1530	319AT	1126	1026
P185/65R14	1525	319AT	1126	1026
P185/70R14	1530	323AT	1126	1022
P185/75R14	1530	323AT	1130	1030
P185/80R14	N/A	331AT	1130	1030
195R14	1540	N/A	1134	1034
P195/55R14	N/A	319AT	1126	1026
P195/60R14	1525	319AT	1126	1026
P195/65R14	1525	323AT	1126	1030

Tire Size	Alpine Series	Alpha Trax	"PL" Series	Cable Series
	Alpine Premier	Alpha Trax	Passenger Link Chain	Cable Chain

## 14 Inch Rims Continued

P195/70R14	1530	327AT	1130	1030
P195/75R14	1535	323AT	1130	1030
205R14	1545	N/A	1134	1034
205/55R14	1525	323AT	1126	1026
P205/60R14	1530	323AT	1130	1026
P205/70R14	1540	329AT	1130	1030
P205/75R14	1540	331AT	1134	N/A
215R14	1545	N/A	1138	1038
P215/60R14	1530	323AT	1130	1030
P215/65R14	1540	331AT	1130	1030
P215/70R14	1540	335AT	1134	1034
P215/75R14	1545	335AT	1134	1034
225R14	N/A	N/A	1138	1038
225/40R14	N/A	N/A	N/A	1026
P225/60R14	1540	327AT	1130	1034
P225/65R14	N/A	N/A	1134	1034
P225/70R14	1545	335AT	1138	1038
P225/75R14	1547	339AT	1138	1038
P235/60R14	1545	335AT	1134	1034
P235/70R14	N/A	339AT	1138	1038
P245/50R14	N/A	327AT	1134	1030
P245/60R14	1547	335AT	1138	1038
P245/70R14	N/A	339AT	1142	1042
P255/55R14	N/A	335AT	1138	1038
P255/60R14	1540	343AT	1138	1038
P255/70R14	1540	N/A	N/A	N/A
P265/50R14	N/A	335AT	1138	1038
P265/60R14	N/A	343AT	1142	1042
P275/60R14	N/A	339AT	1142	1042
27X8.5-14	N/A	335AT	1134	1034

## 15 Inch Rims

135R15	1515	N/A	1118	1014
145R15	1520	N/A	1118	1018
P145/70R15	N/A	N/A	1118	1018
P145/80R15	N/A	N/A	1118	1018
155R15	1525	N/A	1122	1022
P155/60R15	N/A	N/A	N/A	N/A
P155/70R15	N/A	N/A	1118	1018
P155/80R15	N/A	319AT	1122	1022
165R15	1530	N/A	1122	1022
P165/80R15	1530	323AT	1122	1022
175R15	1535	N/A	1130	1030
P175/55R15	1520	N/A	N/A	N/A
P175/65R15	1530	319AT	1122	1022
P175/70R15	1530	323AT	1122	1022
185R15	1540	N/A	1134	1034
P185/55R15	1525	319AT	1126	1026
P185/60R15	1530	323AT	1126	1026
P185/65R15	1530	323AT	1130	1030
P185/70R15	1535	323AT	1130	1030
195/45ZR15	N/A	N/A	N/A	1026
P195/50R15	1525	N/A	1126	1026
P195/55R15	1525	323AT	1130	1030
195/60R15	1535	327AT	N/A	N/A
P195/60R15	1530	N/A	1130	1030
195/65R15	1535	329AT	1130	1030
P195/70R15	1540	329AT	1130	1034
P195/75R15	1545	331AT	1134	1034
205R15	1550	N/A	1138	1038
205/45R15	N/A	N/A	N/A	1026
P205/50R15	1530	323AT	1126	1026
P205/55R15	1530	327AT	1134	1034
P205/60R15	1540	331AT	1130	1030
P205/65R15	1540	329AT	1134	1034

# PASSENGER VEHICLE TIRE FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

PASSENGER

Tire Size	Alpine Series	Alpha Trax	"PL" Series	Cable Series
	Alpine Premier	Alpha Trax	Passenger Link Chain	Cable Chain

Tire Size	Alpine Series	Alpha Trax	"PL" Series	Cable Series
	Alpine Premier	Alpha Trax	Passenger Link Chain	Cable Chain

## 15 Inch Rims Continued

P205/70R15	1545	335AT	1134	1034
P205/75R15	1545	335AT	1138	1038
P215/50R15	N/A	323AT	1130	1030
P215/55R15	N/A	327AT	1134	1034
P215/60R15	1540	331AT	1134	1034
P215/65R15	1545	335AT	1134	1038
P215/70R15	1550	335AT	1138	1038
P215/75R15	1550	339AT	1138	N/A
P225/50R15	N/A	327AT	1134	1030
P225/55R15	N/A	327AT	1134	1034
P225/60R15	1545	331AT	1138	1038
P225/65R15	N/A	339AT	1130	1030
P225/70R15	1553	343AT	1138	1038
235R15	N/A	N/A	1142	1042
P235/60R15	1550	335AT	1138	1038
P235/65R15	1555	339AT	1138	1038
P235/70R15	1555	343AT	1142	1042
P235/75R15	2318	343AT	N/A	N/A
P245/50R15	N/A	331AT	1138	1038
P245/60R15	1553	339AT	1142	1042
P255/55R15	N/A	N/A	1142	1042
P255/60R15	1553	343AT	1142	1042
P255/65R15	N/A	343AT	1142	1042
P265/50R15	1547	339AT	1142	1042
P265/60R15	N/A	N/A	1142	1042
P275/50R15	1555	339AT	1142	1042

## 17 Inch Rims Continued

P205/50R17	1540	331AT	1134	1034
205/55R17	N/A	335AT	1134	1034
215/40ZR17	N/A	N/A	N/A	1030
215/45ZR17	N/A	N/A	N/A	1034
P215/50R17	1545	331AT	1134	1034
P215/55R17	1547	335AT	1138	1038
P215/60R17	1553	339AT	1138	1038
P215/65R17	1553	339AT	1142	1042
225/45ZR17	N/A	N/A	N/A	1034
P225/50R17	1550	N/A	1138	1038
225/50R17	N/A	335AT	1138	1038
P225/55R17	1553	339AT	1138	1038
P225/60R17	1553	339AT	1142	1042
225/65R17	2318	343AT	1142	1042
235/40ZR17	N/A	N/A	N/A	1034
235/45ZR17	N/A	335AT	N/A	1038
235/50R17	N/A	339AT	N/A	1038
P235/55R17	1553	343AT	1138	1042
245/35ZR17	N/A	N/A	N/A	1034
245/40R17	N/A	N/A	N/A	1034
245/45ZR17	N/A	339AT	N/A	1038
P245/50R17	N/A	339AT	1142	1042
P255/40R17	N/A	335AT	N/A	1038
P255/45R17	N/A	339AT	1142	1042
255/50R17	N/A	343AT	N/A	1042
275/40ZR17	N/A	N/A	N/A	1042

## 16 Inch Rims

185/55R16	N/A	323AT	N/A	1026
P195/45R16	N/A	N/A	N/A	1026
195/50R16	1530	N/A	1130	1030
P195/55R16	N/A	327AT	1134	1034
195/60R16	1535	329AT	1134	1034
195/75R16	1550	339AT	1138	1038
P205R16	1547	N/A	1134	1038
205/40ZR16	N/A	N/A	N/A	1026
205/45ZR16	N/A	N/A	N/A	1026
P205/50R16	N/A	327AT	1130	1030
P205/55R16	1540	331AT	1134	1034
P205/60R16	1540	331AT	1134	1034
P205/65R16	1545	335AT	1134	1034
205/70R16	N/A	335AT	1138	1038
215/40ZR16	N/A	N/A	N/A	1026
P215/50R16	N/A	331AT	1134	1034
P215/55R16	1545	331AT	1134	1034
P215/60R16	1545	335AT	1138	1034
P215/65R16	1550	335AT	1138	1038
P215/70R16	1553	339AT	1142	1042
215/75R16	1555	343AT	1142	1042
P225/50R16	N/A	335AT	N/A	1034
P225/55R16	1550	335AT	1138	1038
P225/60R16	1550	335AT	1138	1038
P225/65R16	1553	339AT	1138	1038
P235/50R16	1545	335AT	1134	1038
P235/55R16	N/A	339AT	1134	1034
235/60R16	1553	339AT	N/A	N/A
P235/65R16	1555	343AT	1142	1042
P245/45R16	N/A	331AT	N/A	1034
P245/50R16	N/A	339AT	1142	1042
P245/55R16	1553	339AT	1142	1042
P255/50R16	1555	343AT	1142	1042

## 18 Inch & Other Rims

205/35ZR18	N/A	N/A	N/A	1026
215/35R18	N/A	N/A	N/A	1030
215/40ZR18	N/A	N/A	N/A	1034
215/45ZR18	N/A	N/A	N/A	1034
215/55R18	1553	339AT	N/A	N/A
225/40ZR18	N/A	N/A	N/A	1034
P225/45R18	N/A	335AT	1138	1038
225/50R18	1553	339AT	1138	1038
225/60R18	1555	729AT	N/A	1042
235/40ZR18	N/A	N/A	N/A	1038
235/45R18	N/A	N/A	N/A	1038
235/50ZR18	2318	343AT	N/A	1042
235/55R18	1555	729AT	N/A	1042
245/40ZR18	N/A	N/A	N/A	1038
P245/45R18	N/A	343AT	1142	1042
245/50R18	2318	343AT	1142	1042
255/40ZR18	N/A	343AT	N/A	1042
255/45ZR18	N/A	343AT	N/A	1042
275/35ZR18	N/A	N/A	N/A	1042
235/45R19	2318	343AT	1142	1042
245/40R19	N/A	N/A	N/A	1042
255/35R19	N/A	N/A	N/A	1042
255/40ZR19	N/A	343AT	N/A	1042
295/45R19	N/A	N/A	1142	1042
245/35R20	N/A	N/A	N/A	1042
P165/70R360	N/A	N/A	1118	1018
P165/70R365	N/A	N/A	1118	1018
P185/65R365	N/A	N/A	1126	1026
P180/65R390	N/A	N/A	1126	1026
P190/65R390	1535	N/A	1130	1030
P220/55R390	N/A	N/A	1134	1034
P220/65R390	N/A	N/A	1138	1038
235/710R460A	1555	N/A	N/A	N/A
245/680R460A	1553	N/A	N/A	N/A
225/700R480A	1550	N/A	N/A	N/A

## 17 Inch Rims

205/40ZR17	N/A	N/A	N/A	1026
205/45ZR17	N/A	N/A	N/A	1030

## Laclede™ Alpine Premier

### The Premium Tire Chain

Laclede's Alpine Premier features a quick mounting design with a 3.5mm diamond pattern cross chain configuration for maximum traction.

- Built-in tightening device, no extra adjuster needed
- Square link cross chains for even wear
- Meets SAE Class S clearance requirements
- Superior traction and lateral stability
- Provides durability and performance

*Convenient installation without lifting or moving vehicle. "Easy on, Easy off"*

Note: Chains not recommended for use on tires with an aspect ratio of 50 or less due to potential wheel damage.  
See page 16 for Light Truck and SUV applications in the Alpine series



## LACLEDE™ ALPINE PREMIER CHAINS

Tire Sizes						Stock No.	Weight Per Pair
155R13	175/60R13	165/65R14	135R15			1515	10
P155/80R13	P185/60R13	P175/60R14					
165R13	P175/70R13	165/70R14	145R15			1520	10
P165/80R13	P195/60R13	P175/65R14	P175/55R15				
175R13	P185/70R13	165R14	P175/75R14	P195/65R14	P185/55R15	1525	10
P175/75R13	P195/70R13	P165/75R14	185/65R14	205/55R14	P195/50R15		
P175/80R13	P205/60R13	P175/70R14	P195/60R14	155R15	P195/55R15		
185R13	P185/60R14	P205/60R14	P165/80R15	P185/60R15	P205/50R15		
P185/80R13	P185/70R14	P215/60R14	P175/65R15	P185/65R15	P205/55R15	1530	10
P205/70R13	P185/75R14	165R15	P175/70R15	P195/60R15	195/50R16		
175R14	P195/70R14						
185R14	175R15	195/60R15	195/60R16				
P195/75R14	P185/70R15	195/65R15	P190/65R390			1535	11
195R14	P215/65R14	P255/60R14	P195/70R15	P215/60R15	P205/50R17		
P205/70R14	P215/70R14	P255/70R14	P205/60R15	P205/55R16		1540	12
P205/75R14	P225/60R14	185R15	P205/65R15	P205/60R16			
205R14	P225/70R14	P205/70R15	P225/60R15	P215/60R16			
215R14	P235/60R14	P205/75R15	P205/65R16	P235/50R16		1545	12
P215/75R14	P195/75R15	P215/65R15	P215/55R16	P215/50R17			
P225/75R14	P245/60R14	P265/50R15	P205R16	P215/55R17			
195/75R16	P215/70R15	P235/60R15	P225/55R16	8.00-16.5	225/700R480A	1550	12
205R15	P215/75R15	P215/65R16	P225/60R16	P225/50R17			
P225/70R15	P255/60R15	P225/65R16	215/60R17	225/60R17	225/50R18	1553	13
P225/75R15	6.50-16LT	235/60R16	P215/65R17	P235/55R17	245/680R460A		
P245/60R15	P215/70R16	P245/55R16	P225/55R17	215/55R18			
P235/65R15	P275/50R15	P225/70R16	P255/50R16	225/60R18	245/45ZR19	1555	13
P235/70R15	215/75R16	235/65R16	225/55R18	235/55R18	235/710R460A		

# Laclede Chain Alpha Trax®

## Leading the pack in lightweight & durability

Laclede's Alpha Trax is an all new design using TPU plastic traction pads with embedded alloy steel studs, providing the best combination of durability, lighter weight and traction.

- Highly durable TPU plastic cross members with alloy studs
- 1 pair of rubber adjusters is included – required for use
- Meets SAE Class S clearance requirements
- Designed to withstand a greater degree of mixed road conditions
- Easy Installation – Can be installed without moving vehicle
- Approved for use where traction devices are allowed



## ALPHA TRAX PASSENGER

Tire Sizes						Stock No.	Weight Per
P175/75R13	P205/60R13	P165/80R14	P185/60R14	P195/60R14	P165/70R15	319AT	5
P175/80R13	P195/65R13	P175/70R14	P185/65R14	P205/50R14	P175/65R15		
P185/70R13	P165/75R14	P175/75R14	P195/55R14	P155/80R15	P185/55R15		
P185/75R13	P225/60R13	P185/75R14	P215/50R14	P165/80R15	P195/55R15	323AT	5
P185/80R13	P235/50R13	P195/65R14	P215/55R14	P175/70R15	P205/50R15		
P195/70R13	P245/50R13	P195/75R14	P215/60R14	P185/60R15	P215/50R15		
P205/65R13	P175/80R14	205/55R14	P225/50R14	P185/65R15	P175/60R16		
P215/60R13	P185/70R14	P205/60R14	P235/50R14	P185/70R15	185/55R16	327AT	5
P205/70R13	P205/65R14	P245/50R14	P215/55R15	P225/55R15	P205/50R16		
P235/60R13	P225/55R14	195/60R15	P225/50R15	P185/60R16			
P195/70R14	P225/60R14	P205/55R15	P235/50R15	P195/55R16		329AT	5
P205/70R14	195/65R15	P205/65R15	195/60R16				
P175/80R15	P195/70R15	P185/65R16	195/65R16				
P185/80R14	P185/75R15	P225/60R15	P175/80R16	P215/55R16		331AT	5
P205/75R14	P195/75R15	P245/50R15	P205/55R16	P245/45R16			
P215/65R14	P205/60R15	185/70R15.5	P205/60R16	P205/50R17			
P255/50R14	P215/60R15	P175/75R16	P215/50R16	P215/50R17			
P215/70R14	P265/50R14	P215/70R15	P205/65R16	P225/60R16	P255/40R17	335AT	5
P215/75R14	27X8.5-14	P235/55R15	205/70R16	P235/50R16	P225/45R18		
P225/70R14	P195/80R15	P235/60R15	P215/60R16	205/55R17			
P235/60R14	P205/70R15	P255/50R15	P215/65R16	P215/55R17			
P245/60R14	P205/75R15	27X8.50-15	P225/50R16	225/50R17			
P255/55R14	P215/65R15	P185/75R16	P225/55R16	235/45Z17			
P225/75R14	P235/65R15	P205/80R15.5	235/60R16	P225/60R17	285/40R17	339AT	5
P235/70R14	P245/60R15	195/75R16	P245/50R16	235/50R17	205/55R18		
P245/70R14	P265/50R15	P195/80R16	P245/55R16	245/45Z17	215/55R18		
P275/60R14	P275/50R15	P215/70R16	P215/60R17	P245/50R17	225/50R18		
P215/75R15	295/50R15	P225/65R16	P215/65R17	P255/45R17	225/55R18		
P225/65R15	27X9.50-15	P235/55R16	P225/55R17	265/40R17			
P255/60R14	P255/60R15	P245/60R16	P235/55R17	245/50R18	285/40R19	343AT	5
P265/60R14	P255/65R15	P245/65R16	255/50R17	255/40Z18	255/40Z19		
P215/80R15	P205/75R16	P255/50R16	275/40R17	255/45Z18	235/45R20		
P215/85R15	P205/80R16	P255/55R16	205/65R17.5	265/40R18			
P225/70R15	215/75R16	P255/60R16	205/75R17.5	285/40R18			
P235/70R15	P215/80R16	P265/50R16	235/50Z18	235/45R19			
P235/75R15	P235/65R16	225/65R17	P245/45R18	235/50R19			

# Laclede™ Passenger Snap-Lock Cable Chains

## An Economical Alternative

- Patented Snap-Lock fastening system
- Meets SAE Class S clearance requirements
- Zinc plated case hardened rollers



PASSENGER

### LACLEDE™ PASSENGER CABLE CHAINS

Tire Sizes	Stock No.	Weight Per Pair	Number of Rollers per Cross Member	Cross Chains Per 1/2 Pair				
155R12 P165/70R12 P175/70R12	145R13 P145/80R13 155R13	P155/70R13 P155/80R13 160R13	P165/70R13 175/50R13 175/60R13	P145/70R14 135R15	<b>1014</b> 4	19	10	
165R13 P165/65R13 P165/80R13	P175/70R13 P175/75R13 P185/60R13	165/65R14 165/70R14 P165/75R14	P175/60R14 P175/65R14 P185/55R14	145R15 P145/70R15 P145/80R15	P155/70R15 P165/70R360 P165/70R365	<b>1018</b> 4	19	11
P185/80R13 175R14	P175/75R14 P175/80R14	P185/70R14 155R15	P155/80R15 P165R15	P165/80R15 P175/65R15	P175/70R15	<b>1022</b> 5	19	12
175R13 P175/80R13 185R13	P205/60R13 P215/50R13 P215/60R13	P185/65R14 P195/55R14 P195/60R14	P185/55R15 P185/60R15 195/45Z15	185/55R16 195/45R16 205/40Z16	205/35Z18 P185/65R365 P180/65R390	<b>1026</b> 5	21	11
P185/70R13 P195/60R13 P195/70R13	165R14 P175/70R14 P185/60R14	205/55R14 P205/60R14 225/40R14	P195/50R15 205/45R15 205/50R15	205/45Z16 215/40Z16 205/40Z17		<b>1030</b> 5	21	12
P185/85R13 195R13 P195/75R13	P185/75R14 P185/80R14 P195/65R14	P205/70R14 P215/60R14 P215/65R14	P185/65R15 P185/70R15 P195/55R15	P205/60R15 P215/50R15 P225/50R15	205/50R16 205/45Z17 215/40Z17	<b>1034</b> 5	21	12
P205/70R13 P215/65R13	P195/70R14 P195/75R14	P245/50R14 175R15	P195/60R15 P195/65R15	P225/65R15 195/50R16	215/35R18 P190/65R390			
P235/50R13 P245/50R13 195R14	P225/65R14 P235/60R14 27X8.5-14	P205/65R15 P205/70R15 P215/55R15	P205/55R16 P205/60R16 P205/65R16	P235/55R16 P245/45R16 P205/50R17	235/40Z17 245/35Z17 245/40R17	<b>1034</b> 6	24	12
205R14 P215/70R14 P215/75R14	185R15 P195/70R15 P195/75R15	P215/60R15 P225/55R15 P195/55R16	P215/50R16 P215/55R16 P215/60R16	205/55R17 215/45Z17 P215/50R17	215/40Z18 215/45Z18 225/40Z18			
P225/60R14	P205/55R15	195/60R16	P225/50R16	225/45Z17	P220/55R390			
215R14 225R14 P225/70R14	P255/60R14 P265/50R14 205R15	P225/70R15 P235/60R15 P235/65R15	P215/65R16 P225/55R16 P225/60R16	P225/50R17 225/50R17 P225/55R17	P255/40R17 P225/45R18 225/50R18	<b>1038</b> 6	24	13
P225/75R14 P235/70R14 P245/60R14	P205/75R15 P215/65R15 P215/70R15	P245/50R15 195/75R16 P205R16	225/65R16 P235/50R16 P215/55R17	235/45Z17 235/50R17 245/45Z17	235/40Z18 235/45R18 245/40Z18			
P255/55R14	P225/60R15	205/70R16	215/60R17		P220/65R390			
P245/70R14 P265/60R14 P275/60R14	P255/60R15 P255/65R15 P265/50R15	P235/65R16 P245/50R16 P245/55R16	P235/55R17 P245/50R17 P255/45R17	235/55R18 245/45R18 245/50R18	245/40R19 255/35R19 255/40Z19	<b>1042</b> 7	27	13
235R15 P235/70R15 P245/60R15	P265/60R15 P275/50R15 P215/70R16	P255/50R16 255/50R17 225/60R17	255/50R17 275/40Z17 225/60R18	255/40Z18 255/45Z18 275/35Z18	295/45R19 245/35R20			
P255/55R15	215/75R16	225/65R17	235/50Z18	235/45R19				

## Laclede™ Passenger Link Chains

### All Steel Link Construction

- Twist link case hardened cross chain
- Manufactured to NACM specifications
- Meets SAE Class S clearance requirements



### LACLEDE "PL" PASSENGER LINK CHAINS

Tire Sizes						Stock No.	Weight Per Pair	Number of Links per Cross Chain	Cross Chains Per 1/2 Pair
145R12	P145/80R12	P165/70R12	135R13	P155/55R13		1110	8	7	9
155R12	P145/80R13	P155/80R13	P165/70R13	P145/70R14		1114	9	7	10
P175/70R12	155R13	160R13	175/50R13	165/65R14					
145R13	P155/70R13	P165/65R13	175/60R13			1118	9	7	11
165R13	P175/75R13	165/70R14	P175/65R14	145R15	P155/70R15				
P165/80R13	P185/60R13	P165/75R14	P185/55R14	P145/70R15	P165/70R360				
P175/70R13	P185/70R13	P175/60R14	135R15	P145/80R15	P165/70R365	1122	10	7	12
175R13	165R14	P175/75R14	155R15	165R15	P175/65R15				
P175/80R13	175R14	P175/80R14	P155/80R15	165/80R15	P175/70R15				
P185/80R13						1126	10	8	11
185R13	P205/70R13	P185/60R14	P195/60R14	P185/60R15	P180/65R390				
P195/60R13	P215/50R13	185/65R14	P195/65R14	P195/50R15					
P195/70R13	P215/60R13	P185/70R14	205/55R14	205/50R15					
P205/60R13	P175/70R14	P195/55R14	P185/55R15	P185/65R365		1130	11	8	12
P185/85R13	P185/80R14	P215/60R14	P185/70R15	P205/60R15	P190/65R390				
195R13	P195/70R14	P215/65R14	P195/55R15	P215/50R15					
P195/75R13	P195/75R14	P225/60R14	P195/60R15	P225/65R15					
P215/65R13	P205/60R14	175R15	195/65R15	195/50R16		1134	11	9	12
P185/75R14	P205/70R14	P185/65R15	P195/70R15	205/50R16					
P235/50R13	P215/75R14	P195/75R15	P215/65R15	P205/55R16	P235/55R16				
P245/50R13	P225/65R14	P205/55R15	P225/50R15	P205/60R16	P205/50R17				
195R14	P235/60R14	P205/65R15	P225/55R15	P205/65R16	205/55R17	1138	12	9	13
205R14	P245/50R14	P205/70R15	P195/55R16	P215/50R16	P215/50R17				
P205/75R14	27X8.5-14	P215/55R15	195/60R16	P215/55R16	P220/55R390				
P215/70R14	185R15	P215/60R15	P205R16	P235/50R16					
215R14	P255/55R14	P215/75R15	195/75R16	225/65R16	P235/55R17	1142	13	10	13
225R14	P255/60R14	P225/60R15	205/70R16	P215/55R17	P225/45R18				
P225/70R14	P265/50R14	P225/70R15	P215/60R16	215/60R17	225/50R18				
P225/75R14	205R15	P235/60R15	P215/65R16	P225/50R17	P220/65R390				
P235/70R14	P205/75R15	P235/65R15	P225/55R16	225/50R17		1142	13	10	13
P245/60R14	P215/70R15	P245/50R15	P225/60R16	P225/55R17					
P245/70R14	P245/60R15	P265/60R15	P245/50R16	225/65R17	235/45R19				
P265/60R14	P255/55R15	P275/50R15	P245/55R16	P245/50R17	295/45R19				
P275/60R14	P255/60R15	P215/70R16	P255/50R16	P255/45R17		1142	13	10	13
235R15	P255/65R15	215/75R16	P215/65R17	P245/45R18					
P235/70R15	P265/50R15	P235/65R16	225/60R17	245/50R18					

# LIGHT TRUCK



LIGHT TRUCK &  
HEAVY TRUCK

# HEAVY TRUCK



# LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

**All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		ALPHA TRAX	HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE	MUD SERVICE	
	Alpine Super Sport	Alpine Sport	Alpha Trax	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles	Singles	Dual-Triples

## 14 Inch Rims

H70-14ST	----	----	----	2211R	----	----	----	----	----	----
H78-14ST	----	----	----	2211R	----	----	----	----	----	----
7.00-14LT	----	----	----	2209R	----	2809R	----	----	----	----
185-14	----	1535	----	2209R	----	2809R	----	----	----	----
P205/75R14	----	1540	331AT	2209R	----	2809R	----	----	----	----
195/75R14LT	----	----	----	2209R	----	2809R	----	----	----	----
215/75R14LT	----	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
28X8.50X14	----	----	----	2209R	----	2809R	----	----	----	----
9-14.5MH	----	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----

## 15 Inch Rims

H78-15ST	----	----	----	2211R	----	----	----	2011	----	----
H78-15LT	----	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
LR78-15	----	----	----	2211R	----	----	----	2011	----	----
NR78-15	2524	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
PR78-15	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
QR78-15	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
6.70-15LT	----	----	----	2211R	----	----	----	2011	----	----
7.00-15LT	2519	2318	----	2211R	----	----	----	2011	----	----
7.00-15TR	----	----	----	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
7.50-15LT	2519	----	----	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
7.50-15TR	----	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2435	----
8.25-15LT	----	----	----	3210R / CAM	----	3810CAM	----	3010	----	----
8.25-15TR	----	----	----	2228R / CAM	4231R / CAM	2828R / CAM	----	2028	----	----
9.00-15TR	----	----	----	2237R / CAM	----	2837CAM	----	2037	2435	----
10-15LT	----	----	----	3210R / CAM	----	3810CAM	----	3010	2441	----
10.00-15TR	----	----	----	2239CAM	4239CAM	----	----	----	2441	----
11-15LT	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
11.00-15TR	----	----	----	2251R / CAM	----	2851R / CAM	----	----	----	----
12-15LT	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
P215/75R15	----	1550	339AT	2211R	----	----	----	2011	----	----
P225/75R15	----	1553	343AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
P235/75R15	2519	2318	729AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
P245/65R15	----	----	343AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
P245/70R15	----	2318	343AT	2229R / CAM	----	2829R / CAM	----	2029	2437	4412
P255/70R15	2517	2319	735AT	2229R / CAM	----	2829R / CAM	----	2029	2437	4412
P255/75R15	2521	2321	----	----	----	----	----	----	----	----
P265/70R15	2517	2323	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P265/75R15	----	2321	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P275/60R15	2517	2319	----	2219R / CAM	----	2819R / CAM	----	2019	2437	----
P315/70R15	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
195/75R15LT	----	----	331AT	2211R	----	----	----	2011	----	----
215/75R15LT	----	1550	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
235/75R15LT	2518	2318	----	2219R / CAM	----	2819R / CAM	----	2019	2435	----
245/70R15LT	----	----	729AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
245/75R15LT	----	----	729AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
245/85R15LT	----	2324	735AT	----	----	----	----	----	----	----
255/65R15LT	----	----	343AT	----	----	----	----	----	2437	----
255/75R15LT	----	2321	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
265/70R15LT	----	2317	735AT	3210R / CAM	----	3810CAM	----	3010	----	----
265/75R15LT	----	2321	741AT	3210R / CAM	----	3810CAM	----	3010	2437	----
275/60R15LT	----	----	729AT	2221R / CAM	----	2821R / CAM	----	2021	2437	----
285/75R15	2533	2327	747AT	2228R / CAM	----	2828R / CAM	----	3027	----	----
305/50R15	----	----	----	3210R / CAM	----	3810CAM	----	3010	----	----
325/60R15	----	----	747AT	3229R / CAM	----	3829CAM	----	3029	----	----
29X9.50-15	----	----	729AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
30X9.50-15LT	2517	2319	735AT	2216R / CAM	----	2816R / CAM	----	2016	2437	4412
31X9.50R15	2518	----	741AT	----	----	----	----	----	----	----
31X10.5-15LT	2524	2324	741AT	3210R / CAM	----	3810CAM	----	3010	2437	4412
31X11.5-15LT	----	2324	747AT	3227R / CAM	----	3827CAM	----	3027	----	----
31X13.50-15	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
32X11.5-15LT	2526	2326	747AT	3227R / CAM	----	3827CAM	----	3027	----	----

LIGHT TRUCK & HEAVY TRUCK

# LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

**All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		ALPHA TRAX	HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE	MUD SERVICE	
	Alpine Super Sport	Alpine Sport	Alpha Trax	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles	Singles	Dual-Triples

## 15 Inch Rims Continued

32X12.5X15	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X9.50-15LT	2526	2326	751AT	3227R / CAM	----	3827CAM	----	3027	----	----
33X10.5X15	----	2327	747AT	3210R / CAM	----	3810CAM	----	3010	2439	----
33X12.50R15	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X13.5-15	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
33X14X15	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X14.5-15	----	2337	----	3229R / CAM	----	3829CAM	----	3029	----	----
34X9.50-15	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
35X12.5X15	2536	----	----	3229R / CAM	----	3829CAM	----	----	----	----
35X13.5-15	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
35X14-15	----	----	----	3235R	----	----	----	----	----	----
35X14.5-15	----	2337	----	3229R / CAM	----	3829CAM	----	3029	----	----
36X12.50-15	----	----	----	3235R	----	----	----	----	----	----
36X13.50-15	----	----	----	3235R	----	----	----	----	----	----
37X13-15	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
37X13.5-15	----	----	----	3235R	----	----	----	----	----	----
37X14.5-15	----	----	----	3251R	----	----	----	----	----	----
38.5X16-15	----	----	----	3265R	----	----	----	----	----	----
39.5X15-15	----	----	----	3251R	----	----	----	----	----	----
39.5X18X15	----	----	----	3265R	----	----	----	----	----	----
40X17-15	----	----	----	3251R	----	----	----	----	----	----

## 16-16.5 Inch Rims

LR78-16LT	----	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
PR78-16	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
QR78-16	----	----	----	2239CAM	4239CAM	----	----	----	----	----
6.50-16LT	----	1553	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
7.00-16LT	----	----	----	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
7.50-16LT	2524	2324	741AT	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
9.00-16LT	----	----	----	2237R / CAM	----	2837CAM	----	2037	----	----
11L16	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
P225/70R16	----	1555	343AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
P225/75R16	2519	2318	343AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
P235/70R16	----	2319	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P245/70R16	2518	2319	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P245/75R16	2524	2323	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/65R16	2517	2319	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/70R16	2524	2324	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P265/70R16	2524	2324	----	3210R / CAM	----	3810CAM	----	3010	----	----
P265/75R16	2526	2326	----	3210R / CAM	----	3810CAM	----	3010	----	----
P275/60R16	----	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P275/70R16	----	----	----	2228R / CAM	----	2828R / CAM	----	2028	----	----
P285/60R16	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
205R16	----	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
215/80R16LT	2517	----	729AT	2219R / CAM	4219CAM	2819R / CAM	----	2019	----	----
215/85R16LT	2517	2317	729AT	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
225/75R16LT	----	2319	729AT	2216R / CAM	----	2816R / CAM	----	2016	2435	----
235/70R16LT	2518	----	729AT	2229R / CAM	----	2829R / CAM	----	2029	2435	----
235/75R16LT	----	2319	735AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
235/80R16	----	2319	741AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
235/85R16LT	2521	2321	741AT	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
245/70R16LT	----	----	735AT	2219R / CAM	----	2819R / CAM	----	2019	2435	----
245/75R16LT	2524	2323	735AT	2229R / CAM	----	2829R / CAM	----	2029	2439	----
245/85R16LT	----	----	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
255/60R16	----	2319	729AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
255/65R16LT	2517	2319	735AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
255/70R16LT	2524	2323	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
255/75R16LT	----	----	747AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
255/85R16LT	2526	2326	751AT	2228R / CAM	4231R / CAM	2828R / CAM	----	2021	----	----
265/50R16LT	----	----	343AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
265/60R16LT	----	----	729AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
265/70R16LT	2524	2324	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
265/75R16LT	2526	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
265/80R16LT	----	----	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
275/60R16LT	----	----	741AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
275/65R16LT	----	----	741AT	3227R / CAM	----	3827CAM	----	3027	----	----
275/70R16LT	----	2324	747AT	3210R / CAM	----	3810CAM	----	3010	----	----

LIGHT TRUCK & HEAVY TRUCK

# LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

**All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		ALPHA TRAX	HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE	MUD SERVICE	
	Alpine Super Sport	Alpine Sport	Alpha Trax	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles	Singles	Dual-Triples

## 16-16.5 Inch Rims Continued

275/75R16	----	2327	747AT	3228R / CAM	----	3828CAM	----	----	----	----
285/60R16LT	----	----	735AT	3227R / CAM	----	3827CAM	----	3027	----	----
285/65R16	----	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
285/70R16LT	----	----	751AT	3229R / CAM	----	3829CAM	----	3029	----	----
285/75R16LT	2533	----	751AT	3228R / CAM	----	3828CAM	----	----	2440	----
295/50R16LT	----	----	----	3210R / CAM	----	3810CAM	----	3010	----	----
295/75R16LT	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
305/70R16LT	2533	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
305/85R16LT	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
315/75R16LT	2536	2337	----	3231R / CAM	----	3831CAM	----	2037	2441	----
325/80R16	----	----	----	3251R	----	----	----	----	----	----
345/55R16LT	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
8.75-16LT	----	----	----	2219R / CAM	4219CAM	2819R / CAM	----	2019	----	----
30X9.50-16	----	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
31X11.5-16	2524	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
31X12.5-16	----	----	----	3228R / CAM	----	3828CAM	----	----	----	----
32X9-16LT	----	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
32X10.00-16LT	2517	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
32X11.5-16LT	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
33X13.5-16	2533	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
34X9X16	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
35X12.5X16LT	----	----	----	3229R / CAM	----	3829CAM	----	2037	----	----
35X13.5-16	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
35X14-16	----	----	----	3235R	----	----	----	----	----	----
36X13-16	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
37X12.5-16	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
38X13X16	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
38X14.5-16	----	----	----	3251R	----	----	----	----	----	----
38.5X16-16	----	----	----	3265R	----	----	----	----	----	----
39.5X15-16	----	----	----	3265R	----	----	----	----	----	----
8.00-16.5	----	1550	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
8.75-16.5LT	----	2318	729AT	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
9.50-16.5LT	2517	2317	735AT	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
10-16.5LT	----	----	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
12-16.5LT	----	----	751AT	3227R / CAM	----	3827CAM	----	3027	2437	----
31X10.5-16.5LT	----	----	741AT	3227R / CAM	----	3827CAM	----	3027	----	----
32X12.5-16.5LT	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X12.50R16.5	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X15.5-16.5	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
36X12.50-16.5	----	----	----	3235R	----	----	----	----	----	----
36X14-16.5	----	----	----	3235R	----	----	----	----	----	----
37X12.5-16.5	----	----	----	3235R	----	----	----	----	----	----
38X12.5X16.5	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
38X15.5R16.5	----	----	----	3235R	----	----	----	----	----	----
39.5X15-16.5	----	----	----	3251R	----	----	----	----	----	----
39.5X18-16.5	----	----	----	3265R	----	----	----	----	----	----
40X17-16.5	----	----	----	3251R	----	----	----	----	----	----

## 17-17.5 Inch Rims

7.00-17LT	----	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
7.50-17	----	----	----	2214R / CAM	----	----	----	2014	2439	----
P235/60R17	----	2318	343AT	2216R / CAM	----	2816R / CAM	----	2016	----	----
P235/65R17	----	2319	----	2216R / CAM	----	2816R / CAM	----	2016	----	----
P235/70R17	----	2317	735AT	2219R / CAM	4219CAM	2819R / CAM	----	2019	----	----
P235/75R17	----	2323	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
P245/55R17	----	----	339AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
P245/65R17	----	2317	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
P245/70R17	----	2323	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/55R17	----	----	729AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/60R17	----	2317	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/65R17	----	2323	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/70R17	2524	2321	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
P255/75R17	2526	2326	751AT	----	----	----	----	----	----	----
265/60R17	----	2323	735AT	3210R / CAM	----	3810CAM	----	3010	----	----
P265/65R17	2526	2324	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
P265/70R17	2526	2326	----	3210R / CAM	----	3810CAM	----	3010	----	----

LIGHT TRUCK & HEAVY TRUCK

# LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. **All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		ALPHA TRAX	HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE	MUD SERVICE	
	Alpine Super Sport	Alpine Sport	Alpha Trax	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles	Singles	Dual-Triples

## 17-17.5 Inch Rims Continued

P275/60R17	----	2324	741AT	2229R / CAM	----	2829R / CAM	----	3010	----	----
225/75R17LT	----	2323	729AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
235/65R17	2517	2319	729AT	2216R / CAM	----	2816R / CAM	----	2019	----	----
235/80R17	2524	2321	747AT	3210R / CAM	----	3810CAM	----	3010	2437	4412
245/65R17	----	2317	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
245/70R17LT	----	----	735AT	2214R / CAM	----	----	----	2014	----	----
245/75R17LT	2521	2321	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
255/60R17	----	2317	735AT	3210R / CAM	----	3810CAM	----	3010	----	----
265/70R17LT	2526	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
265/75R17	----	2326	751AT	3210R / CAM	----	3810CAM	----	3010	----	----
275/55R17	----	2323	741AT	----	----	----	----	2029	----	----
275/60R17	----	2324	----	2229R / CAM	----	2829R / CAM	----	3010	----	----
275/65R17	2526	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
275/70R17	----	----	751AT	3229R / CAM	----	3829CAM	----	3029	----	----
285/60R17	----	2326	747AT	3227R / CAM	----	3827CAM	----	3027	----	----
285/70R17	2533	2327	----	3228R / CAM	----	3828CAM	----	----	2440	----
285/75R17LT	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
295/70R17LT	2536	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
315/70R17LT	2536	----	----	3231R / CAM	----	3831CAM	----	----	----	----
305/45R17	----	----	----	3227R / CAM	----	3827CAM	----	3027	----	----
305/65R17	----	2335	751AT	3229R / CAM	----	3829CAM	----	3029	----	----
305/70R17	2536	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
325/70R17	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
345/55R17	----	----	751AT	3231R / CAM	----	3831CAM	----	----	----	----
355/70R17LT	----	----	----	3235R	----	----	----	----	----	----
33X12.5-17	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
35X12.5-17	----	2337	----	3231R / CAM	----	3831CAM	----	----	----	----
37X12.5-17	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
37X13.5-17	----	----	----	3235R	----	----	----	----	----	----
7-17.5LT	----	----	343AT	2211R	----	----	----	2011	----	----
8-17.5	2517	2317	----	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
8.50-17.5	----	----	----	2219R / CAM	4219CAM	2819R / CAM	----	2019	----	----
9R17.5	----	----	----	2237R / CAM	----	2837CAM	----	2037	----	----
10R17.5	----	----	----	2237R / CAM	----	2837CAM	----	2037	----	----
11R17.5	----	----	----	2239CAM	4239CAM	----	----	----	----	----
14-17.5	----	----	----	3235R	----	----	----	----	----	----
205/60R17.5	----	----	335AT	2209R	----	2809R	----	----	----	----
215/70R17.5	----	----	729AT	2219R / CAM	4219CAM	2819R / CAM	----	2019	2435	----
215/75R17.5	2517	----	729AT	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	2437	4412
225/70R17.5	----	----	----	2214R / CAM	----	----	----	2014	2439	----
235/75R17.5	2521	----	741AT	3210R / CAM	----	3810CAM	----	3010	2441	----
245/70R17.5	----	----	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
245/75R17.5	2524	2321	741AT	3210R / CAM	----	3810CAM	----	3010	----	----

## 18 Inch Rims

7.00-18	----	----	----	2214R / CAM	----	----	----	2014	2439	----
7.50-18	----	----	----	2233CAM	----	----	----	----	----	----
10.50/80-18	----	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
P235/50R18	----	----	343AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
P255/45R18	----	----	343AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
P255/55R18	----	2317	----	2229R / CAM	----	2829R / CAM	----	2029	----	----
P255/70R18	----	2326	----	3210R / CAM	----	3810CAM	----	3010	----	----
P265/60R18	----	2321	741AT	3227R / CAM	----	3827CAM	----	3027	----	----
P265/65R18	----	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
P275/60R18	----	2326	747AT	3228R / CAM	----	3828CAM	----	----	----	----
P295/45R18	----	2324	735AT	----	----	----	----	3010	----	----
215/55R18	----	1553	339AT	----	----	----	----	2016	----	----
225/55R18	----	1555	729AT	----	----	----	----	2016	----	----
225/65R18	2517	2317	735AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
235/60R18	----	2319	729AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
235/65R18	----	2323	735AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
245/55R18	----	2319	729AT	----	----	----	----	----	----	----
245/60R18	----	2323	735AT	----	----	----	----	3010	----	----
255/50R18	----	2319	343AT	----	----	----	----	----	----	----
255/55R18	----	----	735AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
255/60R18	----	2324	741AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
255/65R18	----	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
255/70R18	----	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
265/70R18	----	2327	751AT	3228R / CAM	----	3828CAM	----	----	----	----

LIGHT TRUCK & HEAVY TRUCK

# LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. **All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		ALPHA TRAX	HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE	MUD SERVICE	
	Alpine Super Sport	Alpine Sport	Alpha Trax	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles	Singles	Dual-Triples

## 18 Inch Rims Continued

275/40ZR18	----	----	343AT	----	----	----	----	2029	----	----
275/55R18	----	2324	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
275/65R18	----	2326	751AT	3227R / CAM	----	3827CAM	----	----	----	----
275/70R18	2533	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
285/60R18	----	2327	751AT	3227R / CAM	----	3827CAM	----	3027	----	----
285/65R18	2533	2327	751AT	3227R / CAM	----	3827CAM	----	3029	----	----
285/70R18	----	2335	----	----	----	----	----	----	----	----
285/75R18LT	2536	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
295/70R18LT	2536	----	----	3229R / CAM	----	3829CAM	----	3029	----	----
305/60R18	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
305/70R18LT	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
325/60R18	----	2337	----	3229R / CAM	----	3829CAM	----	3029	----	----
325/65R18	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
355/65R18	----	----	----	3251R	----	----	----	----	----	----
33X12.5-18	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X13-18	----	2337	----	3229R / CAM	----	3829CAM	----	3029	----	----
35X12.5-18	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
37X13.5-18	----	----	----	3235R	----	----	----	----	----	----
38X15.5-18	----	----	----	3265R	----	----	----	----	----	----

## 19-19.5 Inch Rims

225/55R19	----	2317	729AT	----	----	----	----	2019	----	----
235/50R19	----	2317	729AT	----	----	----	----	----	----	----
235/55R19	----	2317	729AT	2229R / CAM	----	2829R / CAM	----	2029	----	----
245/45ZR19	----	1555	343AT	----	----	----	----	2016	----	----
245/50R19	----	2317	729AT	----	----	----	----	2029	----	----
245/55R19	----	2323	735AT	2219R / CAM	----	2819R / CAM	----	2019	----	----
255/45R19	----	2319	729AT	----	----	----	----	----	----	----
255/50R19	----	2323	735AT	----	----	----	----	2029	----	----
255/55R19	----	2324	735AT	----	----	----	----	----	----	----
P255/60R19	----	2326	747AT	----	----	----	----	3010	----	----
265/50R19	----	2324	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
275/40ZR19	----	----	729AT	----	----	----	----	2029	----	----
275/45R19	----	----	741AT	----	----	----	----	3010	----	----
275/55R19	----	2326	747AT	3210R / CAM	----	3810CAM	----	3010	----	----
285/45R19	----	----	735AT	3227R / CAM	----	3827CAM	----	3027	----	----
8-19.5	2526	2326	747AT	2214R / CAM	4310CAM	----	----	2014	2439	----
15-19.5	----	----	----	3265R	----	----	----	----	----	----
225/70R19.5	2526	----	747AT	3210R / CAM	4310CAM	3810CAM	----	3010	2439	----
245/70R19.5	----	----	751AT	2228R / CAM	4231R / CAM	2828R / CAM	----	2028	2439	----
265/70R19.5	----	----	----	2233CAM	----	----	----	----	----	----
285/70R19.5	----	----	----	3235R	----	----	----	2037	----	----
445/65R19.5	----	----	----	3271R / CAM	----	----	----	----	----	----

## 20-21 Inch Rims

6.5-20	----	----	----	2233CAM	----	----	----	----	----	----
7.00-20	----	----	----	2233CAM	----	----	----	----	----	----
7.50-20	----	----	----	2237R / CAM	----	2837CAM	----	2037	2441	----
8.25-20	----	----	----	2239CAM	4239CAM	----	----	----	2441	----
9.00-20	----	----	----	2241R / CAM	----	----	----	2041	2445	----
10.00-20	----	----	----	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2045	2448	4448
11.00-20	----	----	----	2251R / CAM	----	2851R / CAM	----	----	2452	4461
12.00-20	----	----	----	2255R / CAM	----	2855R	4855CAM	----	2486	----
13/80R20	----	----	----	2255R / CAM	----	2855R	4855CAM	----	2486	----
14.00-20	----	----	----	----	----	2871R	----	----	----	----
14/80R20	----	----	----	----	----	----	----	----	----	----
235/55R20	----	2324	735AT	----	----	----	----	2029	----	----
245/45R20	----	----	729AT	----	----	----	----	2029	----	----
245/50R20	----	2323	735AT	----	----	----	----	2029	----	----
245/60R20	2521	2321	741AT	3210R / CAM	----	3810CAM	----	3010	----	----
255/45R20	----	----	729AT	----	----	----	----	2029	----	----
255/50R20	----	2324	735AT	----	----	----	----	3010	----	----
255/55R20	2521	2326	747AT	----	----	----	----	3010	----	----
265/45R20	----	2323	735AT	----	----	----	----	2029	----	----
265/50R20	----	2326	747AT	----	----	----	----	3010	----	----
265/60R20	----	2326	751AT	3210R / CAM	----	3810CAM	----	3010	----	----
275/40R20	----	----	735AT	----	----	----	----	3010	----	----
275/45R20	----	2324	741AT	----	----	----	----	3010	----	----
275/50R20	----	2326	747AT	3228R / CAM	----	3828CAM	----	----	----	----
275/55R20	2533	2327	751AT	2228R / CAM	----	2828R / CAM	----	3027	----	----
P275/60R20	2533	----	----	2228R / CAM	----	2828R / CAM	----	2028	----	----
275/60R20	2533	----	751AT	3227R / CAM	----	3827CAM	----	3027	----	----

# LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

**THIS TIRE SIZING CHART IS A GUIDE ONLY!**

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. **All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		ALPHA TRAX	HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE	MUD SERVICE	
	Alpine Super Sport	Alpine Sport	Alpha Trax	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles Regular / Cam	Dual-Triples Regular / Cam	Singles	Singles	Dual-Triples

## 20-21 Inch Rims Continued

275/65R20LT	2536	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
275/75R20	----	----	----	3235R	----	----	----	----	----	----
P285/50R20	----	2327	751AT	3227R / CAM	----	3827CAM	----	3027	----	----
285/55R20LT	2537	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
285/60R20	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
285/65R20	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
295/40R20	----	----	735AT	----	----	----	----	3010	----	----
295/45R20	----	----	747AT	----	----	----	----	2028	----	----
295/55R20	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
295/60R20	----	2335	----	----	----	----	----	----	----	----
295/65R20	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
305/50R20	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
305/55R20	2536	2337	----	3229R / CAM	----	3829CAM	----	3029	----	----
325/60R20	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
355/80R20	----	----	----	3255R / CAM	----	----	----	3055	----	----
365/80R20	----	----	----	----	----	----	----	----	----	----
32X11.50-20	2537	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
33X12.5-20	2536	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
34X10.5-20	2536	2335	----	----	----	----	----	----	----	----
35X12.5-20	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
37X12.50-20	----	----	----	3235R	----	----	----	----	----	----
37X13.50-20	----	----	----	3251R	----	----	----	----	----	----
38X15.5-20	----	----	----	3265R	----	----	----	----	----	----
275/45R21	----	2326	747AT	3228R / CAM	----	3828CAM	----	----	----	----

## 22-22.5 Inch Rims

265/40R22	----	----	----	----	----	----	----	3010	----	----
275/50R22	2533	2327	----	----	----	----	----	3029	----	----
285/40R22	----	----	741AT	----	----	----	----	2028	----	----
285/45R22	----	2327	751AT	----	----	----	----	2028	----	----
285/50R22	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
305/40R22	----	2327	751AT	----	----	----	----	3029	----	----
305/45R22	----	2335	----	----	----	----	----	3029	----	----
325/50R22LT	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
10.00-22	----	----	----	2249R / CAM	4249CAM	2849R / CAM	4849R / CAM	2049	2452	4461
11.00-22	----	----	----	2255R / CAM	----	2855R	4855CAM	----	2486	----
33X11.5-22	----	2335	----	3229R / CAM	----	3829CAM	----	3029	----	----
35X12.5-22	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
37X13.50-22	----	----	----	3251R	----	----	----	----	----	----
8-22.5	----	----	----	2237R / CAM	----	2837CAM	----	2037	----	----
9-22.5	----	----	----	2239CAM	4239CAM	----	----	----	2441	----
10-22.5	----	----	----	2241R / CAM	----	----	----	2041	----	----
11-22.5	----	----	----	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2045	2448	4448
12-22.5	----	----	----	2251R / CAM	----	2851R / CAM	----	2049	2452	4461
12.5-22.5	----	----	----	2251R / CAM	----	2851R / CAM	----	2049	----	----
13-22.5	----	----	----	3255R / CAM	----	----	----	3055	----	----
15-22.5	----	----	----	3255R / CAM	----	----	----	3055	----	----
16.5-22.5	----	----	----	3271R / CAM	----	----	----	----	----	----
18-22.5	----	----	----	3261R	----	----	----	----	----	----
235/80R22.5	----	----	----	2237R / CAM	----	2837CAM	----	2037	2441	----
245/75R22.5	----	----	----	2239CAM	4239CAM	----	----	----	2441	----
255/70R22.5	----	----	----	2237R / CAM	----	2837CAM	----	2037	2441	----
255/80R22.5	----	----	----	2241R / CAM	----	----	----	2041	2441	----
265/75R22.5	----	----	----	2241R / CAM	----	----	----	2041	----	----
275/70R22.5	----	----	----	2239CAM	4239CAM	----	----	----	2448	4448
275/80R22.5	----	----	----	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2041	2452	4461
285/75R22.5	----	----	----	2247R / CAM	4247CAM	2847CAM	4847CAM	2045	2452	4461
295/60R22.5	----	----	----	3231R / CAM	----	3831CAM	----	----	----	----
295/75R22.5	----	----	----	2247R / CAM	4247CAM	2847CAM	4847CAM	2041	2452	4461
295/80R22.5	----	----	----	2251R / CAM	----	2851R / CAM	----	----	----	----
305/70R22.5	----	----	----	2247R / CAM	4247CAM	2847CAM	4847CAM	2041	----	----
315/80R22.5	----	----	----	2255R / CAM	----	2855R	4855CAM	----	2486	----
385/65R22.5	----	----	----	3255R / CAM	----	----	----	3055	----	----
425/65R22.5	----	----	----	3271R / CAM	----	----	----	3069	----	----
445/50R22.5	----	----	----	3269CAM	----	----	----	3069	----	----
445/65R22.5	----	----	----	3261R	----	----	----	----	----	----
455/55R22.5	----	----	----	3269CAM	----	----	----	3069	----	----

## 24-24.5 Inch Rims

11-24.5	----	----	----	2249R / CAM	4249CAM	2849R / CAM	4849R / CAM	2049	2452	4461
12-24.5	----	----	----	2255R / CAM	----	2855R	4855CAM	----	2486	----
275/80R24.5	----	----	----	2247R / CAM	4247CAM	2847CAM	4847CAM	2045	2452	4461
285/75R24.5	----	----	----	2247R / CAM	4247CAM	2847CAM	4847CAM	2045	2452	4461

LIGHT TRUCK & HEAVY TRUCK

# Alpine Sport™

The ultimate traction device for Sport Utility Vehicles and Light Trucks featuring a quick mounting design and diamond pattern cross chain for maximum traction.

*“Easy on, Easy off” installation without lifting or moving the vehicle.*

LIGHT TRUCK & HEAVY TRUCK



- Meets SAE Class S wheel well requirements
- Constructed with 3.8mm diamond pattern cross chain
- Superior traction and lateral stability with smooth ride
- Built-in tightening system, no extra adjuster needed
- Square link cross chain for even wear
- All connections in front of the tire for easy access
- Two pair per master carton

Note: Chains not recommended for use on tires with an aspect ratio of 50 or less due to potential wheel well damage. Always pre-fit tire chains prior to use.

## ALPINE SPORT (MEETS SAE CLASS S REQUIREMENTS)

Tire Sizes						Stock No.	Weight Per Pair
P215/70R15	P215/75R15	215/75R15LT	8.00-16.5			1550	12
P225/75R15	6.50-16LT					1553	13
7.00-15LT	P235/75R15LT	P225/75R16	225/65R17	235/50ZR18	235/45R19	2318	15
P235/75R15	P245/70R15	8.75-16.5	P235/60R17	245/50R18			
265/70R15LT	P235/70R17	P255/60R17	225/65R18	235/50R19		2317	15
215/85R16LT	P245/65R17	255/60R17	P255/55R18	235/55R19			
9.50-16.5LT	245/65R17	8-17.5	225/55R19	245/50R19		2319	15
P255/70R15	P245/70R16	235/80R16	235/65R17	255/45R19			
P275/60R15	P255/65R16	255/60R16	235/60R18			2321	15
30X9.50-15LT	225/75R16LT	255/65R16LT	245/55R18				
P235/70R16	235/75R16LT	P235/65R17	255/50R18			2323	16
P255/75R15	P265/75R15	235/85R16LT	245/75R17LT	245/75R17.5	245/60R20		
255/75R15LT	265/75R15LT	235/80R17	P255/70R17	P265/60R18		2324	16
P265/70R15	255/70R16LT	P245/70R17	275/55R17	245/55R19	265/45R20		
P245/75R16	225/75R17LT	P255/65R17	235/65R18	255/50R19		2326	16
245/75R16LT	P235/75R17	265/60R17	245/60R18	245/50R20			
245/85R15LT	P255/70R16	P265/65R17	275/55R18	265/50R19	255/50R20	2327	17
31X10.5-15LT	P265/70R16	P275/60R17	P295/45R18	235/55R20	275/45R20		
31X11.50-15LT	265/70R16LT	275/60R17	255/55R19			2327	17
7.50-16LT	275/70R16LT	255/60R18					
32X11.50-15LT	285/65R16	275/65R17	P265/65R18	8-19.5	275/45R21	2327	17
33X9.50-15	P255/75R17	285/60R17	P275/60R18	P255/55R20			
P265/75R16	P265/70R17	255/65R18	275/65R18	265/50R20		2327	17
255/85R16LT	265/70R17LT	P255/70R18	P255/60R19	265/60R20			
265/75R16LT	265/75R17	255/70R18	275/55R19	275/50R20		2335	18
285/75R15	275/75R16	265/70R18	285/65R18LT	P285/50R20	285/45R22		
33X10.5-15	285/70R17	285/60R18	275/55R20	275/50R22	305/40R22	2335	18
305/70R16LT	33X12.50-17	275/65R20LT	295/60R20	34X10.5-20			
35X13.50-16	285/70R18	285/55R20LT	305/50R20	285/50R22		2337	18
285/75R17LT	285/75R18LT	285/60R20	32X11.50-20	305/45R22			
305/65R17	33X12.5-18	295/55R20	33X12.5-20	33X11.5-22		2337	18
33X14.50-15	315/75R16LT	325/60R18	305/55R20				
35X14.50-15	35X12.50-17	33X13-18					

# Alpine Super Sport™

Developed for commercial vehicle applications and off-road use.

“Easy on, Easy off” installation without lifting or moving the vehicle.



- Constructed with heavy duty 4.6mm diamond pattern cross chain
- Superior traction and lateral stability with smooth ride
- Built-in tightening system, no extra adjuster needed
- Square link cross chain for even wear
- All connections in front of the tire for easy access
- Two pair per master carton

Note: Chains not recommended for use on tires with an aspect ratio of 50 or less due to potential wheel well damage. Always pre-fit tire chains prior to use.

LIGHT TRUCK &  
HEAVY TRUCK

## ALPINE SUPER SPORT

Tire Sizes						Stock No.	Weight Per Pair
P255/70R15	30X9.50-15LT	215/85R16LT	9.50-16.5LT	215/75R17.5		2517	22
P265/70R15	P255/65R16	255/65R16LT	235/65R17	225/65R18			
P275/60R15	215/80R16LT	32X10.00-16LT	8-17.5				
235/75R15LT	31X9.50R15	P245/70R16	235/70R16LT			2518	22
7.00-15LT	7.50-15LT	P235/75R15	P225/75R16			2519	21
P255/75R15	235/85R16LT	245/75R17LT	235/75R17.5	245/60R20	P255/55R20	2521	24
NR78-15	P245/75R16	245/75R16LT	31X11.50-16	245/75R17.5		2524	23
31X10.50-15LT	P255/70R16	255/70R16LT	P255/70R17				
7.50-16LT	P265/70R16	265/70R16LT	235/80R17				
32X11.50-15LT	P265/75R16	265/75R16LT	P265/65R17	265/70R17LT	8-19.5	2526	23
33X9.50-15LT	255/85R16LT	P255/75R17	P265/70R17	275/65R17	225/70R19.5		
285/75R15	305/70R16LT	285/70R17	285/65R18LT	275/55R20	275/50R22	2533	24
285/75R16LT	33X13.50-16	275/70R18LT	P275/60R20	275/60R20			
35X12.5X15	295/70R17LT	315/70R17	295/70R18LT	305/55R20	34X10.5-20	2536	26
315/75R16	305/70R17	285/75R18LT	275/65R20LT	33X12.5-20			
285/55R20LT	32X11.50-20					2537	27

## Laclede™ Heavy Truck Hoop Chains

- Constructed for long life and easy installation and removal with hoop design
- Built with diamond pattern alloy cross chain
- Case hardened 6 cam side chain



Truck version features 5.5mm square link alloy cross chain

## LACLEDE™ HEAVY TRUCK HOOP CHAIN

Tire Sizes				Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
275/80R22.5	295/75R22.5			3534	39	8	3720
10.00R20	11.00R22.5	275/80R24.5	285/75R24.5	3536	41	8	3722

# Laclede Chain Alpha Trax®

**Leading the pack in lightweight & durability**

Laclede's Alpha Trax is an all new design using TPU plastic traction pads with embedded alloy steel studs, providing the best combination of durability, lighter weight and traction.

- Highly durable TPU plastic cross members with alloy studs
- 1 pair of rubber adjusters is included – required for use
- Meets SAE Class S clearance requirements
- Designed to withstand a greater degree of mixed road conditions
- Easy Installation – Can be installed without moving vehicle
- Approved for use where traction devices are allowed



**LIGHT TRUCK & HEAVY TRUCK**

## ALPHA TRAX LT

Tire Sizes						Stock No.	Weight Per
205/60R17.5						335AT	5
P245/55R17						339AT	5
P225/75R15	P245/70R15	P225/75R16	P235/60R17	255/50R18	245/45ZR19	343AT	5
P245/65R15	P225/70R16	265/50R16LT	7-17.5LT	275/40ZR18			
P235/75R15	215/85R16LT	29X9.5-16	235/65R17	235/60R18	255/45R19	729AT	5
235/70R15LT	225/75R16LT	8.75-16.5LT	205/75R17.5	245/55R18	275/40ZR19		
245/70R15LT	235/65R16LT	P215/70R17	215/70R17.5	265/45R18	245/45R20		
245/75R15LT	235/70R16LT	P225/70R17	215/75R17.5	225/55R19	255/45R20		
275/60R15LT	245/65R16	P245/60R17	225/55R18	235/50R19	265/40R20		
29X9.50-15	255/60R16	P255/55R17	225/60R18	235/55R19			
215/80R16LT	265/60R16LT	225/75R17LT	235/55R18	245/50R19			
P255/70R15	255/65R16LT	P245/65R17	235/70R17.5	285/45R18	235/55R20	735AT	6
245/85R15LT	255/70R16LT	P255/65R17	P295/45R18	285/50R18	245/50R20		
255/75R15LT	265/65R16	215/80R17	225/65R18	225/60R19	255/50R20		
265/70R15LT	285/60R16LT	245/70R17LT	225/70R18	245/55R19	265/45R20		
30X9.50-15LT	9.50-16.5LT	255/60R17	235/65R18	255/50R19	275/40R20		
225/85R16LT	10-16.5LT	265/55R17	245/60R18	255/55R19	295/40R20		
235/75R16LT	30X9.5-16.5	265/60R17	255/55R18	275/50R19	265/45R21		
245/70R16LT	P235/70R17	275/50R17	265/55R18	285/45R19	265/45R22		
245/75R16LT	P235/75R17	225/75R17.5	275/45R18	225/55R20			
265/75R15LT	235/85R16LT	P265/65R17	235/75R17.5	275/55R18	285/45R20	741AT	6
31X9.50R15	265/70R16LT	P275/60R17	245/70R17.5	265/50R19	305/45R20		
31X10.5-15LT	275/60R16LT	225/80R17	245/75R17.5	275/45R19	285/45R21		
32X9.5-15	275/65R16LT	235/85R17	P265/60R18	245/60R20	245/45R22		
7.50-16LT	295/65R16	245/75R17LT	235/70R18	275/45R20	285/40R22		
235/80R16	31X10.5-16.5LT	275/55R17	255/60R18	285/40R20			
275/75R15	255/75R16LT	235/80R17	255/65R18	8-19.5	275/50R20	747AT	6
285/70R15	265/75R16LT	265/70R17LT	255/70R18	215/75R19.5	295/45R20		
285/75R15	265/80R16LT	275/65R17	285/55R18	225/70R19.5	255/50R21		
325/60R15	275/70R16LT	285/60R17	305/55R18	225/75R19.5	275/45R21		
31X11.5-15LT	275/75R16	285/65R17	P255/60R19	235/70R19.5	295/40R21		
32X11.5-15LT	285/65R16	P265/65R18	255/65R19	225/75R20	275/45R22		
33X10.5X15	31X11.5-16.5	P275/60R18	275/55R19	255/55R20			
245/85R16LT	P255/70R17	245/70R18	285/55R19	265/50R20			
295/70R15	315/70R16	305/65R17	285/60R18	265/60R20	285/45R22	751AT	6
33X9.50-15LT	12-16.5LT	345/55R17	285/65R18	275/55R20	305/40R22		
255/85R16LT	P255/75R17	245/75R18	295/60R18	275/60R20	305/40R23		
285/70R16LT	265/75R17	265/70R18	245/70R19.5	295/50R20			
285/75R16LT	275/70R17	275/65R18	P285/50R20	325/50R20			

**Laclede™ Studded Chains & Extra-Durable Chains**



- Hardened alloy cross and side chain
- Boomer hook outside fastener
- Available in regular or cam side chain and in single and dual triple applications



Studded Cross Chain



Boomer Hook

**LIGHT TRUCK & HEAVY TRUCK**

**LACLEDE™ 8MM STUDDED TRUCK CHAIN**

Tire Sizes		Singles				Dual-Triples				Replacement Cross Chain
		Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
10.00-22	11-24.5	N/A	8249CAM	81/83	14	8449R	8449CAM	148/153	28	8253



**LACLEDE™ EXTRA DURABLE CAM TRUCK CHAIN**

- Heavy duty alloy cross chains
- Recommended for long haul carriers / Used by many major fleets
- Three times the wear of standard low carbon chains

Tire Sizes				Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair
10.00-20	11-22.5	275/70R22.5	275/80R22.5	2245XDLG	56	15
295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	2247XDLG	55	14
10.00-22	11-24.5			2249XDLG	62	15

Additional specifications on page 44

**Laclede™ Single Truck Chains**



- Twist link cross chain
- Recommended for highway use
- Available in regular or cam side chain



*Available with CAM Side Chain*

**LIGHT TRUCK & HEAVY TRUCK**

**LACLEDE™ SINGLE TRUCK HIGHWAY SERVICE CHAINS**

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain																																																																																																																																																																																																																																																															
7.00-14LT	P205/75R14	28X8.50-14			2209R	N/A	19	11	6219																																																																																																																																																																																																																																																															
185-14	195/75R14LT	205/60R17.5								H70-14ST	H78-15ST	6.70-15LT	P215/75R15	7-17.5LT	2211R	N/A	23	13	6219	H78-14ST	LR78-15	7.00-15LT	195/75R15LT		215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2216R	2216CAM	22	12	6221	9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17	H78-15LT	30X9.50-15	205R16	8.00-16.5		P225/75R15	6.50-16LT	225/75R16LT	P235/60R17		7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	P255/45R18	2219R	2219CAM	24	13	6221	7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	225/65R18	P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/60R18	235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	235/65R18	245/70R15LT	215/85R16LT	P235/70R17		245/55R19	NR78-15	LR78-16	9.50-16.5			7.50-15TR	7.50-16LT	7.00-17LT			2221R	2221CAM	26	14	6221	275/60R15LT	235/85R16LT	215/75R17.5			7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5	2214R	2214CAM	28	15	6221	P245/65R15	P245/75R16	265/60R16LT	P245/65R17	P255/55R18	2229R	2229CAM	24	12	6225	P245/70R15	P255/65R16	275/60R16LT	P245/70R17	255/55R18	P255/70R15	P255/70R16	30X9.50-16LT	P255/55R17	255/60R18	P265/70R15	P275/60R16	31X11.50-16	P255/60R17	235/55R19	P265/75R15	235/70R16LT	32X9-16LT	P255/65R17		255/75R15LT	235/80R16	32X10.00-16LT	P275/60R17		29X9.50-15	245/75R16LT	10-16.5LT	225/75R17LT		P235/70R16	255/70R16LT	P235/75R17	245/65R17		P245/70R16	265/50R16LT	P245/55R17	275/60R17		8.25-15TR	P275/70R16	245/70R19.5	275/55R20		285/75R15	255/85R16LT	P275/60R20			7.50-18	265/70R19.5	6.50-20	7.00-20		N/A	2233CAM	38	11	6251	9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	2237R	2237CAM	40	12	6251	9.00-16LT	10R17.5	8-22.5			10-15TR	11R17.5	9-22.5	275/70R22.5		N/A	2239CAM	44	13	6251	QR78-16	8.25-20	245/75R22.5			9.00-20	10-22.5	255/80R22.5	265/75R22.5		2241R	2241CAM	46	14	6251	10.00-20	11-22.5	275/80R22.5			2245R	2245CAM	49	15	6251	285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	2247R	2247CAM	48	14	6253	10.00-22	11-24.5				2249R	2249CAM	53	15	6253	11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2251R	2251CAM	62	14	6260	12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5
H70-14ST	H78-15ST	6.70-15LT	P215/75R15	7-17.5LT	2211R	N/A	23	13	6219																																																																																																																																																																																																																																																															
H78-14ST	LR78-15	7.00-15LT	195/75R15LT							215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2216R	2216CAM	22	12	6221	9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17	H78-15LT	30X9.50-15	205R16	8.00-16.5							P225/75R15	6.50-16LT	225/75R16LT	P235/60R17		7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	P255/45R18	2219R	2219CAM	24	13	6221	7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	225/65R18						P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/60R18	235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	235/65R18	245/70R15LT	215/85R16LT	P235/70R17		245/55R19	NR78-15	LR78-16	9.50-16.5			7.50-15TR	7.50-16LT	7.00-17LT			2221R	2221CAM	26	14	6221	275/60R15LT	235/85R16LT	215/75R17.5			7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5	2214R	2214CAM	28	15	6221	P245/65R15	P245/75R16	265/60R16LT	P245/65R17	P255/55R18	2229R	2229CAM	24	12	6225						P245/70R15	P255/65R16	275/60R16LT	P245/70R17	255/55R18	P255/70R15	P255/70R16	30X9.50-16LT	P255/55R17	255/60R18	P265/70R15	P275/60R16	31X11.50-16	P255/60R17	235/55R19	P265/75R15	235/70R16LT	32X9-16LT	P255/65R17		255/75R15LT	235/80R16	32X10.00-16LT	P275/60R17		29X9.50-15	245/75R16LT	10-16.5LT	225/75R17LT		P235/70R16	255/70R16LT	P235/75R17	245/65R17		P245/70R16	265/50R16LT	P245/55R17	275/60R17		8.25-15TR	P275/70R16	245/70R19.5	275/55R20		285/75R15	255/85R16LT	P275/60R20			7.50-18	265/70R19.5	6.50-20	7.00-20		N/A	2233CAM	38	11	6251	9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	2237R	2237CAM	40	12	6251	9.00-16LT	10R17.5	8-22.5			10-15TR	11R17.5	9-22.5	275/70R22.5		N/A	2239CAM	44	13	6251	QR78-16	8.25-20	245/75R22.5			9.00-20	10-22.5	255/80R22.5	265/75R22.5		2241R	2241CAM	46	14	6251	10.00-20	11-22.5	275/80R22.5			2245R	2245CAM	49	15	6251	285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	2247R	2247CAM	48	14	6253	10.00-22	11-24.5				2249R	2249CAM	53	15	6253	11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2251R	2251CAM	62	14	6260	12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5
215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2216R	2216CAM	22	12	6221																																																																																																																																																																																																																																																															
9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17																																																																																																																																																																																																																																																																				
H78-15LT	30X9.50-15	205R16	8.00-16.5																																																																																																																																																																																																																																																																					
P225/75R15	6.50-16LT	225/75R16LT	P235/60R17																																																																																																																																																																																																																																																																					
7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	P255/45R18	2219R	2219CAM	24	13	6221																																																																																																																																																																																																																																																															
7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	225/65R18																																																																																																																																																																																																																																																																				
P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/60R18																																																																																																																																																																																																																																																																				
235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	235/65R18																																																																																																																																																																																																																																																																				
245/70R15LT	215/85R16LT	P235/70R17		245/55R19																																																																																																																																																																																																																																																																				
NR78-15	LR78-16	9.50-16.5																																																																																																																																																																																																																																																																						
7.50-15TR	7.50-16LT	7.00-17LT			2221R	2221CAM	26	14	6221																																																																																																																																																																																																																																																															
275/60R15LT	235/85R16LT	215/75R17.5																																																																																																																																																																																																																																																																						
7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5	2214R	2214CAM	28	15	6221																																																																																																																																																																																																																																																															
P245/65R15	P245/75R16	265/60R16LT	P245/65R17	P255/55R18	2229R	2229CAM	24	12	6225																																																																																																																																																																																																																																																															
P245/70R15	P255/65R16	275/60R16LT	P245/70R17	255/55R18																																																																																																																																																																																																																																																																				
P255/70R15	P255/70R16	30X9.50-16LT	P255/55R17	255/60R18																																																																																																																																																																																																																																																																				
P265/70R15	P275/60R16	31X11.50-16	P255/60R17	235/55R19																																																																																																																																																																																																																																																																				
P265/75R15	235/70R16LT	32X9-16LT	P255/65R17																																																																																																																																																																																																																																																																					
255/75R15LT	235/80R16	32X10.00-16LT	P275/60R17																																																																																																																																																																																																																																																																					
29X9.50-15	245/75R16LT	10-16.5LT	225/75R17LT																																																																																																																																																																																																																																																																					
P235/70R16	255/70R16LT	P235/75R17	245/65R17																																																																																																																																																																																																																																																																					
P245/70R16	265/50R16LT	P245/55R17	275/60R17																																																																																																																																																																																																																																																																					
8.25-15TR	P275/70R16	245/70R19.5	275/55R20																																																																																																																																																																																																																																																																					
285/75R15	255/85R16LT	P275/60R20																																																																																																																																																																																																																																																																						
7.50-18	265/70R19.5	6.50-20	7.00-20		N/A	2233CAM	38	11	6251																																																																																																																																																																																																																																																															
9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	2237R	2237CAM	40	12	6251																																																																																																																																																																																																																																																															
9.00-16LT	10R17.5	8-22.5																																																																																																																																																																																																																																																																						
10-15TR	11R17.5	9-22.5	275/70R22.5		N/A	2239CAM	44	13	6251																																																																																																																																																																																																																																																															
QR78-16	8.25-20	245/75R22.5																																																																																																																																																																																																																																																																						
9.00-20	10-22.5	255/80R22.5	265/75R22.5		2241R	2241CAM	46	14	6251																																																																																																																																																																																																																																																															
10.00-20	11-22.5	275/80R22.5			2245R	2245CAM	49	15	6251																																																																																																																																																																																																																																																															
285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	2247R	2247CAM	48	14	6253																																																																																																																																																																																																																																																															
10.00-22	11-24.5				2249R	2249CAM	53	15	6253																																																																																																																																																																																																																																																															
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2251R	2251CAM	62	14	6260																																																																																																																																																																																																																																																															
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	2255R	2255CAM	67	14	6263																																																																																																																																																																																																																																																															

Additional specifications on page 43

**Laclede™ Reinforced Truck Chains**



- Reinforced cross chain for increased traction and wear
- Recommended for off-road use
- Available in regular or cam side chain



Available with CAM Side Chain

LIGHT TRUCK & HEAVY TRUCK

**LACLEDE™ REINFORCED SINGLE TRUCK CHAINS**

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain																																																																																																																																																																																																								
7.00-14LT	P205/75R14	28X8.50-14			2809R	N/A	21	11	6819																																																																																																																																																																																																								
185-14	195/75R14LT	205/60R17.5								215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2816R	2816CAM	25	12	6821	9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17	H78-15LT	30X9.50-15	205R16	8.00-16.5		P225/75R15	6.50-16LT	225/75R16LT	P235/60R17		7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	225/65R18	2819R	2819CAM	25	13	6821	7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	235/60R18	P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/65R18	235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	245/55R19	245/70R15LT	215/85R16LT	P235/70R17	P255/45R18		NR78-15	LR78-16	9.50-16.5			2821R	2821CAM	27	14	6821	7.50-15TR	7.50-16LT	7.00-17LT			275/60R15LT	235/85R16LT	215/75R17.5			P245/65R15	P245/70R16	255/70R16LT	10-16.5LT	P275/60R17	2829R	2829CAM	26	12	6825	P245/70R15	P245/75R16	265/50R16LT	P235/75R17	225/75R17LT	P255/70R15	P255/65R16	265/60R16LT	P245/55R17	245/65R17	P265/70R15	P255/70R16	275/60R16LT	P245/65R17	275/60R17	P265/75R15	P275/60R16	30X9.50-16LT	P245/70R17	P255/55R18	255/75R15LT	235/70R16LT	31X11.50-16	P255/55R17	255/55R18	29X9.50-15	235/80R16	32X9-16LT	P255/60R17	255/60R18	P235/70R16	245/75R16LT	32X10.00-16LT	P255/65R17	235/55R19						8.25-15TR	P275/70R16	245/70R19.5	P275/60R20		2828R	2828CAM	30	14	6825	285/75R15	255/85R16LT		275/55R20		9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	N/A	2837CAM	44	12	6822	9.00-16LT	10R17.5	8-22.5			10.00-20	11-22.5	275/80R22.5			2845R	2845CAM	54	15	6822	285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	N/A	2847CAM	54	14	6853	10.00-22	11-24.5				2849R	2849CAM	57	15	6853	11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2851R	2851CAM	68	14	6860	12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5
215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2816R	2816CAM	25	12	6821																																																																																																																																																																																																								
9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17																																																																																																																																																																																																													
H78-15LT	30X9.50-15	205R16	8.00-16.5																																																																																																																																																																																																														
P225/75R15	6.50-16LT	225/75R16LT	P235/60R17																																																																																																																																																																																																														
7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	225/65R18	2819R	2819CAM	25	13	6821																																																																																																																																																																																																								
7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	235/60R18																																																																																																																																																																																																													
P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/65R18																																																																																																																																																																																																													
235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	245/55R19																																																																																																																																																																																																													
245/70R15LT	215/85R16LT	P235/70R17	P255/45R18																																																																																																																																																																																																														
NR78-15	LR78-16	9.50-16.5			2821R	2821CAM	27	14	6821																																																																																																																																																																																																								
7.50-15TR	7.50-16LT	7.00-17LT																																																																																																																																																																																																															
275/60R15LT	235/85R16LT	215/75R17.5																																																																																																																																																																																																															
P245/65R15	P245/70R16	255/70R16LT	10-16.5LT	P275/60R17	2829R	2829CAM	26	12	6825																																																																																																																																																																																																								
P245/70R15	P245/75R16	265/50R16LT	P235/75R17	225/75R17LT																																																																																																																																																																																																													
P255/70R15	P255/65R16	265/60R16LT	P245/55R17	245/65R17																																																																																																																																																																																																													
P265/70R15	P255/70R16	275/60R16LT	P245/65R17	275/60R17																																																																																																																																																																																																													
P265/75R15	P275/60R16	30X9.50-16LT	P245/70R17	P255/55R18																																																																																																																																																																																																													
255/75R15LT	235/70R16LT	31X11.50-16	P255/55R17	255/55R18																																																																																																																																																																																																													
29X9.50-15	235/80R16	32X9-16LT	P255/60R17	255/60R18																																																																																																																																																																																																													
P235/70R16	245/75R16LT	32X10.00-16LT	P255/65R17	235/55R19																																																																																																																																																																																																													
8.25-15TR	P275/70R16	245/70R19.5	P275/60R20		2828R	2828CAM	30	14	6825																																																																																																																																																																																																								
285/75R15	255/85R16LT		275/55R20																																																																																																																																																																																																														
9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	N/A	2837CAM	44	12	6822																																																																																																																																																																																																								
9.00-16LT	10R17.5	8-22.5																																																																																																																																																																																																															
10.00-20	11-22.5	275/80R22.5			2845R	2845CAM	54	15	6822																																																																																																																																																																																																								
285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	N/A	2847CAM	54	14	6853																																																																																																																																																																																																								
10.00-22	11-24.5				2849R	2849CAM	57	15	6853																																																																																																																																																																																																								
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2851R	2851CAM	68	14	6860																																																																																																																																																																																																								
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	2855R	N/A	71	14	6863																																																																																																																																																																																																								

Additional specifications on page 43

## Laclede™ Dual-Triple Truck Chains



- Twist link case hardened cross chain
- Recommended for highway use
- Available in regular or cam side chain



Available with CAM Side Chain

### LACLEDE™ DUAL-TRIPLE TRUCK CHAINS

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-15TR	8.75-16LT	8.75-16.5	8.50-17.5		N/A	4219CAM	44	26	6221
7.50-15LT	215/80R16LT	P235/70R17	215/70R17.5						
7.00-16LT	215/85R16LT	8-17.5							
NR78-15	LR78-16LT	235/85R16LT	7.00-17LT		N/A	4221CAM	49	28	6221
7.50-15TR	7.50-16LT	9.50-16.5	215/75R17.5						
8-19.5	225/70R19.5				N/A	4310CAM	47	26	6225
8.25-15TR	255/85R16LT	245/70R19.5			4231R	4231CAM	51	28	6225
10-15TR	11R17.5	9-22.5	275/70R22.5		N/A	4239CAM	84	26	6251
QR78-16	8.25-20	245/75R22.5							
10.00-20	11-22.5	275/80R22.5			4245R	4245CAM	90	30	6251
285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	N/A	4247CAM	89	28	6253
10.00-22	11-24.5				N/A	4249CAM	92	30	6253

Additional specifications on page 43



- Reinforced cross chain for increased traction and wear
- Recommended for off-road use
- Available in regular or cam side chain



Available with CAM Side Chain

### LACLEDE™ REINFORCED DUAL-TRIPLE TRUCK CHAINS

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
NR78-15	LR78-16LT	235/85R16LT	7.00-17LT		4821R	4821CAM	53	28	6821
7.50-15TR	7.50-16LT	9.50-16.5	215/75R17.5						
10.00-20	11-22.5	275/80R22.5			4845R	4845CAM	99	30	6822
285/75R22.5	295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	N/A	4847CAM	102	28	6853
10.00-22	11-24.5				4849R	4849CAM	104	30	6853
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	N/A	4855CAM	124	28	6863

Additional specifications on page 44

**Laclede™ Wide Base Truck Chains**

Designed for use on most 4-wheel drive vehicles and super single tires



Wide Base Singles  
Regular Twist Link Cross Chain



Reinforced Wide Base Singles  
Reinforced Cross Chain with CAM Side Chain



Available with CAM Side Chain

**LACLEDE™ WIDE BASE SINGLE & REINFORCED TRUCK CHAINS**

Note: 3255CAM, 3269CAM & 3271CAM feature six cam side chain

Tire Sizes			Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain	V-Bar Cam Stock. No.	Weight Per Pair	Replacement Cross Chain								
8.25-15LT	275/70R16LT	235/75R17.5	3210R	3210CAM	26	13	6225	3810CAM	31	6825								
10-15LT	285/65R16	245/70R17.5																
265/70R15LT	295/50R16LT	245/75R17.5																
265/75R15LT	235/80R17	255/65R18																
305/50R15	245/75R17LT	P255/70R18																
31X10.50-15LT	255/60R17	P265/65R18																
33X10.50-15	P255/70R17	255/70R18																
P265/70R16	P265/65R17	275/55R18																
P265/75R16	P265/70R17	265/50R19																
245/85R16LT	265/60R17	275/55R19																
265/70R16LT	265/70R17LT	225/70R19.5																
265/75R16LT	265/75R17	245/60R20																
265/80R16LT	275/65R17	265/60R20																
PR78-15	275/65R16LT	P265/60R18									3227R	3227CAM	36	10	6253	3827CAM	41	6853
11-15LT	285/60R16LT	275/65R18																
31X11.50-15LT	32X11.50-16LT	285/60R18																
32X11.50-15LT	33X13.50-16	285/65R18LT																
33X9.50-15LT	34X9-16	285/45R19																
33X13.50-15	12-16.5LT	275/60R20																
34X9.50-15LT	31X10.50-16.5LT	P285/50R20																
PR78-16	285/60R17																	
P285/60R16	305/45R17																	
275/75R16	285/70R17	275/50R20																
285/75R16LT	265/70R18	275/45R21	3228R	3228CAM	36	9	6259	3828CAM	39	6834								
31X12.50-16	P275/60R18																	
12-15LT	35X12.5-16	295/70R18LT																
P315/70R15	35X13.5-16	325/60R18	3229R	3229CAM	39	10	6259	3829CAM	44	6834								
325/60R15	36X13-16	33X12.5-18																
31X13.5-15	32X12.50-16.5LT	33X13-18																
32X12.50-15	33X12.5-16.5	275/65R20LT																
33X12.50R15	33X15.5-16.5	285/55R20LT																
33X14-15	275/70R17	285/60R20																
33X14.50-15	285/75R17LT	295/55R20																
35X12.50-15	295/70R17LT	305/50R20																
35X14.5-15	305/65R17	305/55R20																
11L16	305/70R17	32X11.50-20																
285/70R16LT	33X12.50-17	33X12.5-20																
295/75R16LT	10.50/80R18	285/50R22																
305/70R16LT	275/70R18LT	33X11.5-22																
305/85R16LT	285/75R18LT																	
QR78-15	315/70R17LT	35X12.5-18									3231R	3231CAM	42	11	6259	3831CAM	47	6834
35X13.5-15	325/70R17	285/65R20																
37X13-15	345/55R17	295/65R20																
315/75R16LT	35X12.50-17	325/60R20																
345/55R16LT	37X12.50-17	35X12.50-20																
37X12.50-16	305/60R18	325/50R22LT																
38X13-16	305/70R18LT	35X12.5-22																
38X12.50-16.5	325/65R18	295/60R22.5																
35X14-15	36X14-16.5	37X13.5-18	3235R	N/A	46	12	6259	N/A	N/A	N/A								
36X12.50-15	37X12.5-16.5	285/70R19.5																
36X13.5-15	38X15.5-16.5	275/75R20																
37X13.50-15	355/70R17LT	37X12.50-20																
35X14-16	37X13.5-17																	
36X12.5-16.5	14-17.5																	
37X14.50-15	38X14.50-16	37X13.50-20	3251R	N/A	45	10	6267	N/A	N/A	N/A								
39.5X15-15	39.5X15-16.5	37X13.50-22																
40X17-15	40X17-16.5																	
325/80R16	355/65R18																	
355/80R20	15-22.5		3255R	3255CAM	68	14	7213	N/A	N/A	N/A								
13-22.5	385/65R22.5																	
18-22.5	445/65R22.5		3261R	N/A	77	16	7214	N/A	N/A	N/A								
38.5X16-15	39.5X15-16	15-19.5	3265R	N/A	57	11	7215	N/A	N/A	N/A								
39.5X18-15	39.5X18-16.5	38X15.50-20																
38.5X16-16	38X15.5-18																	
445/50R22.5	455/55R22.5		N/A	3269CAM	67	13	7215	N/A	N/A	N/A								
445/65R19.5	16.5-22.5	425/65R22.5	3271R	3271CAM	75	14	7215	N/A	N/A	N/A								

Additional specifications on page 45

**Laclede™ Truck Cable Chains**



- Snap lock fastening system for easy installation
- Zinc plated rollers on cross members for corrosion resistance
- Heavy truck model features heavy duty side cable

Single Cable Chains



Snap-Lock Lever Fastening System



Dual-Triple Cable Chains

**LACLEDE™ SINGLE LIGHT TRUCK CABLE CHAINS**

\* Indicates stock # meets SAE Class S requirements

Tire Sizes						Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
H78-15ST	6.70-15LT	P215/75R15	195/75R15LT	7-17.5LT		2011	9	13	N/A
LR78-15	7.00-15LT					2014	11	15	N/A
7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5		2016*	9	12	N/A
215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	225/55R18				
9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	215/55R18	245/45ZR19				
H78-15LT	30X9.50-15	205R16	8.00-16.5						
P225/75R15	6.50-16LT	225/75R16LT	P235/60R17						
7.00-15TR	245/75R15LT	235/75R16LT	235/65R17	P255/45R18	245/55R19				
7.50-15LT	7.00-16LT	245/70R16LT	8-17.5	225/65R18					
P275/60R15	8.75-16LT	255/65R16LT	8.50-17.5	235/60R18					
235/75R15LT	215/80R16LT	8.75-16.5	215/70R17.5	235/65R18					
245/70R15LT	215/85R16LT	P235/70R17	P235/50R18	225/55R19					
NR78-15	275/60R15LT	7.50-16LT	255/85R16LT	7.00-17LT					
7.50-15TR	LR78-16LT	235/85R16LT	9.50-16.5LT	215/75R17.5					
8.25-15TR	245/70R19.5	295/45R20	285/45R22						
P275/70R16	P275/60R20	285/40R22							
P245/65R15	P245/70R16	255/70R16LT	10-16.5	P255/65R17	245/50R19				
P245/70R15	P245/75R16	265/50R16LT	P235/75R17	225/75R17LT	255/50R19				
P255/70R15	P255/65R16	265/60R16	P245/55R17	275/55R17	275/40ZR19				
P265/70R15	P255/70R16	275/60R16LT	P245/65R17	P255/55R18	235/55R20				
P265/75R15	P275/60R16	30X9.50-16	245/65R17	255/55R18	245/45R20				
255/75R15LT	235/70R16LT	31X11.50-16	P245/70R17	255/60R18	245/50R20				
29X9.50-15	235/80R16	32X9-16LT	P255/55R17	275/40ZR18	255/45R20				
P235/70R16	245/75R16LT	32X10.00-16LT	P255/60R17	235/55R19	265/45R20				

Additional specifications on page 45

**LACLEDE™ SINGLE AND DUAL-TRIPLE HEAVY TRUCK CABLE CHAINS**

Tire Sizes	Singles			Dual-Triples			Replacement Cross Chain
	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
9.00-15TR	35X12.5-16	285/70R19.5	235/80R22.5				
9.00-16LT	9R17.5	7.50-20	255/70R22.5	2037	14	14	N/A
315/75R16LT	10R17.5	8-22.5					N/A
9.00-20	255/80R22.5	275/80R22.5	305/70R22.5	2041	16	16	N/A
10-22.5	265/75R22.5	295/75R22.5					N/A
10.00-20	285/75R22.5	285/75R24.5		2045	17	16	4045
11-22.5	275/80R24.5						8853
10.00-22	12-22.5	12.5-22.5	11-24.5	2049	18	17	N/A

Additional specifications on page 45

**LACLEDE™ WIDE BASE CABLE CHAINS**

Tire Sizes						Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
8.25-15LT	245/85R16LT	255/60R17	275/65R17	275/55R18	255/55R20				
10-15LT	265/70R16LT	P255/70R17	235/75R17.5	P295/45R18	265/50R20				
265/70R15LT	265/75R16LT	265/60R17	245/70R17.5	P255/60R19	265/60R20				
265/75R15LT	265/80R16LT	P265/65R17	245/75R17.5	265/50R19	275/40R20				
305/50R15	275/70R16LT	P265/70R17	P245/60R18	275/45R19	275/45R20				
31X10.50-15LT	285/65R16	265/70R17LT	255/65R18	275/55R19	295/40R20				
33X10.50-15	295/50R16LT	265/75R17	255/70R18	225/70R19.5	265/40R22				
P265/70R16	235/80R17LT	P275/60R17	P255/70R18	245/60R20					
P265/75R16	245/75R17LT	275/60R17	P265/65R18	255/50R20					
PR78-15	33X9.50-15LT	275/65R16LT	12-16.5LT	285/60R18					
11-15LT	33X13.50-15	285/60R16LT	31X10.50-16.5LT	285/45R19					
285/75R15	34X9.50-15LT	32X11.50-16LT	285/60R17	275/55R20					
31X11.50-15LT	PR78-16	33X13.50-16	305/45R17	275/60R20					
32X11.50-15LT	2285/60R16	34X9-16	P265/60R18	P285/50R20					
12-15LT	35X14.5-15	32X12.50-16.5LT	33X12.50-17	33X13-18	33X12.5-20				
P315/70R15	11L16	33X12.5-16.5	10.50/80R18	275/65R20LT	275/50R22				
325/60R15	285/70R16LT	33X15.5-16.5	275/70R18LT	285/55R20LT	285/50R22				
31X13.5-15	295/75R16LT	275/70R17	285/65R18LT	285/60R20	305/40R22				
32X12.50-15	305/70R16LT	285/75R17LT	285/75R18LT	295/55R20	305/45R22				
33X12.50R15	305/85R16LT	295/70R17LT	295/70R18LT	305/50R20	33X11.5-22				
33X14-15	35X13.5-16	305/65R17	325/60R18	305/55R20					
33X14.50-15	36X13-16	305/70R17	33X12.5-18	32X11.50-20					
355/80R20	13-22.5	15-22.5	385/65R22.5						
425/65R22.5	445/50R22.5	455/55R22.5							
						3055	22	16	N/A
						3069	24	15	8815

Additional specifications on page 45

**Laclede™ Mud Service Chains**



- Extra heavy-duty for off-road use
- Available in domestic or import
- Available in single and dual-triples



*Laclede Single Mud Service Truck Chains*

**LIGHT TRUCK & HEAVY TRUCK**

**LACLEDE™ SINGLE MUD SERVICE TRUCK CHAINS**

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-15TR	9.00-15TR	215/85R16LT	245/70R16LT	215/70R17.5	2435	36	9	6256
7.50-15LT	235/75R15LT	225/75R16LT	8.75-16.5					
7.50-15TR	7.00-16LT	235/70R16LT	8-17.5					
NR78-15	265/75R15	31X10.50-15	9.50-16.5	235/80R17	2437	39	10	6256
P245/70R15	P275/60R15	LR78-16LT	12-16.5	215/75R17.5				
P255/70R15	275/60R15LT	7.50-16LT	7.00-17LT					
255/65R15LT	30X9.50-15LT	235/85R16LT						
33X10.50-15	7.50-17	7.00-18	225/70R19.5		2439	40	10	6260
245/75R16LT	225/70R17.5	8-19.5	245/70R19.5					
285/75R16	285/70R17				2440	44	11	6260
10.00-15TR	235/75R17.5	8.25-20	235/80R22.5	255/70R22.5	2441	61	11	6434
10-15LT	7.50-20	9-22.5	245/75R22.5	255/80R22.5				
315/75R16								
10.00-20	11-22.5	275/70R22.5			2448	72	13	6434
11.00-20	12-22.5	285/75R22.5	11-24.5	285/75R24.5	2452	77	14	6434
10.00-22	275/80R22.5	295/75R22.5	275/80R24.5					
12.00-20	11.00-22	12-24.5			2486	92	14	6438
13/80R20	315/80R22.5							

Additional specifications on page 46



*Laclede Dual-Triple Mud Service Truck Chains*



**LACLEDE™ DUAL-TRIPLE MUD SERVICE TRUCK CHAINS**

Tire Size					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
NR78-15	30X9.50-15LT	7.50-16LT	7.00-17LT		4412	70	20	6256
P245/70R15	31X10.50-15	235/85R16LT	235/80R17					
P255/70R15	LR78-16LT	9.50-16.5	215/75R17.5					
10.00-20	11-22.5	275/70R22.5			4448	139	26	6434
11.00-20	12-22.5	285/75R22.5	11-24.5	285/75R24.5	4461	144	28	6434
10.00-22	275/80R22.5	295/75R22.5	275/80R24.5					

Additional specifications on page 46

**Laclede™ Square Straight Link Alloy Truck Chains**



- Square link alloy construction for increased durability and traction
- Reversible for extended use on both sides
- Well proven product, shorter pitch length design provides more traction than other square link products
- Ideal for off-road use
- 7mm and 8mm are available in domestic or import



**LIGHT TRUCK & HEAVY TRUCK**

**LACLEDE™ 5.5MM SQUARE STRAIGHT LINK ALLOY LIGHT TRUCK CHAINS**

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
PR78-15	33X13.5-15	265/75R16LT	12-16.5LT	225/70R19.5LT	<b>3127CAM</b>	27	13	<b>9313</b>
8.25-15TR	34X9.50-15	275/70R16LT	31X10.5-16.5	245/70R19.5LT				
11-15LT	PR78-16	32X11.5X16	P275/60R17	275/55R20				
31X11.5-15LT	P265/70R16	33X13.5-16	265/70R17LT	275/60R20				
32X11.5-15LT	255/85R16LT	34X9X16	10-17.5					
12-15LT	33X14X15	11L16	35X13.5-16	325/60R18	<b>3129CAM</b>	31	14	<b>9315</b>
P315/70R15	33X14.5-15	285/75R16LT	36X13X16					
31X13.50-15	35X13.5-15	295/75R16	33X12.50R16.5					
32X12.50R15	35X14.5-15	305/85R16LT	35X12.5-17					

Additional specifications on page 44

**LACLEDE™ 7MM SQUARE STRAIGHT LINK ALLOY CHAINS**

Tire Sizes					Singles				Dual-Triples				Cross Chain
					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
NR78-15	275/60R15LT	7.50-16LT	245/75R16LT	7.00-17LT	<b>2121</b>	N/A	41	10	N/A	N/A	N/A	N/A	<b>9413</b>
7.50-15TR	LR78-16LT	235/85R16LT	9.50-16.5	215/75R17.5LT									
10.00-20	275/70R22.5	295/75R22.5	275/80R24.5		<b>2147</b>	<b>2147LG</b>	56	14	<b>4147</b>	<b>4147LG</b>	93	28	<b>9413</b>
11-22.5	275/80R22.5	305/70R22.5	285/75R24.5										
10.00-22	11-24.5				<b>2149</b>	<b>2149LG</b>	60	15	<b>4149</b>	<b>4149LG</b>	103	30	<b>9413</b>

Additional specifications on page 44

**LACLEDE™ 8MM SQUARE STRAIGHT LINK ALLOY CHAINS**

Tire Sizes				Singles				Dual-Triples				Cross Chain
				Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
10.00-20	275/70R22.5	295/75R22.5	275/80R24.5	<b>2145HD</b>	<b>2145HDLG</b>	81/74	12/14	<b>4145HD</b>	<b>4145HDLG</b>	140/136	24/28	<b>9511</b>
11-22.5	275/80R22.5	305/70R22.5	285/75R24.5									
10.00-22	11-24.5			<b>2149HD</b>	<b>2149HDLG</b>	85/80	12/14	<b>4149HD</b>	<b>4149HDLG</b>	149/142	24/28	<b>9513</b>

Additional specifications on page 44



**TRACTOR**

**EQUIPMENT**

**OFF ROAD**



# TRACTOR, EQUIPMENT & OFF ROAD VEHICLE CHAIN FIT CHART

## THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

TRACTOR & EQUIPMENT

Tire Size	Roadmaster	DUO Grip	Grader	Reinforced Grader
7.2-24	0832	----	----	----
8.3-24	0822	----	----	----
9.5-16	0829	----	----	----
9.5-24	0832	DUO214	----	----
9.5-28	0836	DUO214	----	----
9.5-32	0838	DUO226	----	----
9.5-36	----	DUO218	----	----
9.5-38	----	DUO218	----	----
10-16.5	0829	----	----	----
10.5/80-18	0822	DUO225	----	----
11.2-24	0836	DUO214	----	----
11.2-28	0838	DUO226	----	----
11.2-32	----	DUO218	----	----
12-16.5	0822	DUO225	----	----
12.4-24	0838	DUO229	----	----
12.4-28	0838	DUO218	----	----
12.5/80-18	0832	----	----	----
13.00-24	----	----	2612	----
13.00-25	----	----	2612	----
13.6-16	0850	----	----	----
13.6-24	----	DUO240	----	----
13.6-26	----	DUO240	----	----
13.6-28	0859	DUO260	----	----
13.9-36	----	DUO242	----	----
14-17.5	0850	----	----	----
14.00-20	----	----	2612	----
14.00-21	----	----	2612	----
14.00-24	----	----	2615	2915
14.00-25	----	----	2615	2915
14.9-24	0859	DUO240	----	----
14.9-26	----	DUO250	----	----
14.9-28	----	DUO252	----	----
14.9-30	0876	DUO252	----	----
14.9-38	----	DUO254	----	----
15-19.5	0836	----	----	----
15.5-25	----	----	2612	----
15.5-38	0879	DUO254	----	----
16.00-20	----	----	2624	----
16.00-21	----	----	2624	----
16.9-24	0874	DUO260	----	----
16.9-26	0876	DUO262	----	----
16.9-28	0876	DUO262	----	----
16.9-30	0885	DUO271	----	----
16.9-34	0879	----	----	----
16.9-38	----	DUO272	----	----
17.5-24	0874	DUO263	----	----
17.5L-24	0874	DUO263	----	----
17.5-25	----	----	2624	----
18.4-16.1	----	DUO264	----	----
18.4-24	0883	DUO268	----	----
18.4-26	0883	DUO271	----	----
18.4-28	----	DUO271	----	----

Tire Size	Roadmaster	DUO Grip	Grader	Reinforced Grader
18.4-30	0885	DUO271	----	----
18.4-34	----	DUO273	----	----
18.4-38	----	DUO272	----	----
18.4-42	----	DUO277	----	----
18.4-46	----	DUO277	----	----
19.5L-24	0883	DUO268	----	----
20.5-25	----	----	2633	----
20.8-34	----	DUO272	----	----
20.8-38	----	DUO276	----	----
21L-24	0885	----	----	----
21.5L-16.1	----	DUO264	----	----
24.5-32	----	DUO282	----	----
23.1-34	----	DUO282	----	----
23.5-25	----	----	2645	----
26.5-25	----	----	2657	----
28.1-34	----	DUO282	----	----
30.5R32	----	----	2657	----
230/95R32	0838	DUO226	----	----
260/70R16	0829	----	----	----
280/70R20	0822	DUO225	----	----
300/70R20	0822	DUO225	----	----
315/75D15	0822	DUO225	----	----
320/85R24	0838	----	----	----
320/85R34	----	DUO242	----	----
320/85R38	0874	DUO260	----	----
320/90R46	----	DUO254	----	----
340/80R18	0836	----	----	----
340/85R28	----	DUO260	----	----
355/80R20	0836	DUO226	----	----
360/70R20	0836	----	----	----
360/70R28	0859	----	----	----
380/70R20	0836	----	----	----
380/85R30	0876	----	----	----
380/85R34	----	DUO260	----	----
380/90R54	----	DUO277	----	----
400/75R28	----	----	2615	2915
420/80R46	----	DUO272	----	----
420/85R28	0876	DUO262	----	----
420/85R30	0885	----	----	----
460/85R34	----	DUO272	----	----
480/80R46	----	DUO277	----	----
480/80R38	----	DUO272	----	----
480/85R34	----	DUO273	----	----
540/65R30	----	DUO271	----	----
550/65R25	----	DUO271	----	----
600/65R25	----	DUO273	----	----
600/65R28	----	DUO271	----	----
650/75R32	----	DUO282	----	----
710/70R38	----	----	2657	----
755/70R25	----	----	2657	----
800/65R32	----	----	2657	----



- Square link alloy cross chains for added durability and increased traction
- Cross chain pattern keeps cross links on top of tread
- Case hardened alloy side chain and alloy cross chain hooks
- Built-in draw chain for tightening



**LACLEDE™ ALLOY PATTERN EQUIPMENT CHAINS**

Tire Sizes					Stock No.	Weight Per Pair	Replacement Cross Chain	Cross Chain Size	Cross Chains Per 1/2 Pair	Cross Chain Hook Stock No.	Rim Chain Trade Size
13.00-24	13.00-25	14.00-20	14.00-21	15.5-25	5612	132	6615	8mm	9	315	7mm
14.00-24	14.00-25				5615	132	6615	8mm	9	315	7mm
16.00-20	16.00-21	17.5-25			5624	216	6624	10mm	9	394	9mm
20.5-25					5633	246	6633	10mm	9	394	9mm

TRACTOR & EQUIPMENT



*Laclede Grader and Equipment Chains*

- Designed for plows, graders and loaders
- Heavy duty twist link cross chain
- 2600 series available in domestic or import
- 2900 series with v-bar made in the U.S.A.
- Two-link spacing available upon request

*Laclede Reinforced Grader and Equipment Chains*



**LACLEDE™ GRADER & EQUIPMENT CHAINS**

Tire Sizes					Grader Stock No.	Weight Per Pair	Replacement Cross Chain	V-Bar Grader Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
13.00-24	13.00-25	14.00-20	14.00-21	15.5-25	2612	107	6630	N/A	N/A	14	N/A
14.00-24	14.00-25	400/75R28			2615	123	6630	2915	145	16	6930
16.00-20	16.00-21	17.5-25			2624	166	6640	N/A	N/A	13	N/A
20.5-25					2633	202	6650	N/A	N/A	14	N/A
23.5-25					2645	365	6660	N/A	N/A	15	N/A
26.5-25	30.5R32	710/70R38	755/70R25	800/65R32	2657	447	6670	N/A	N/A	17	N/A

Additional specifications on page 46



- Heavy duty alloy construction for extended wear
- Double diamond cross chain configuration protects tire while providing continuous traction
- U-lug reinforced cross chain




### LACLEDE™ DOUBLE DIAMOND U-LUG EQUIPMENT CHAINS

Tire Sizes	Laclede Part No.	Weight Per Pair	Cross Chain Trade Size
18.4-34 23.1-26	7029-231-16	965	16mm
24.5-32	7029-245-19	1,574	19mm
28L-26	7029-280-19	1,455	19mm
30.5-32	7029-305-19	1,777	19mm
35.5-32	7029-355-19	2,004	19mm

TRACTOR & EQUIPMENT



- 8mm square link alloy cross chains
- Box pattern cross chain configuration keeps cross links on top of tread
- Wear bars on cross links for added durability and traction
- Alloy cam style side chain and alloy cross chain hooks



### LACLEDE™ ALLOY PATTERN SKID STEER CHAINS

Tire Sizes	Stock No.	Weight Per Pair	Replacement Cross Chain	Cross Chain Size	Cross Chains Per 1/2 Pair	Cross Chain Hook Stock No.	Rim Chain Trade Size
10-16.5	0929	92	N/A	8mm	8	394	8mm
12-16.5	0922	114	6422	8mm	8	394	8mm
15-19.5	0936	159	N/A	8mm	10	394	8mm
14-17.5	0950	134	N/A	8mm	9	394	8mm

### LACLEDE™ 8MM ALLOY SQUARE LINK SKID STEER CHAINS

- Made in the USA
- Ladder style cross chain configuration

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-16 10-16.5 260/70R16	0829HD	56	9	9533
8.3-24 10.50/80-18 12-16.5 280/70R20 300/70R20 315/75D15	0822HD	68	11	9533

## Laclede™ Roadmaster Tractor Chains



- Suitable for off-road or over-the-road use
- Manufactured to NACM specifications
- Stock # 0822-0879 constructed with 3/8" cross chain
- Stock # 0883 and 0885 constructed with 7/16" cross chain

### LACLEDE™ ROADMASTER TRACTOR CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-16	10-16.5	260/70R16			<b>0829</b>	53	9	<b>6434</b>
8.3-24	10.5/80-18	12-16.5	280/70R20	300/70R20	<b>0822</b>	62	11	<b>6434</b>
315/75D15								
7.2-24	9.5-24	12.5/80-18			<b>0832</b>	70	12	<b>6434</b>
9.5-28	11.2-24	15-19.5	340/80R18	355/80R20	<b>0836</b>	82	12	<b>6445</b>
360/70R20	380/70R20							
9.5-32	11.2-28	12.4-24	12.4-28	230/95R32	<b>0838</b>	95	14	<b>6445</b>
320/85R24								
13.6-16	14-17.5				<b>0850</b>	76	10	<b>7420</b>
13.6-28	14.9-24	360/70R28			<b>0859</b>	105	15	<b>7420</b>
16.9-24	17.5-24	17.5L-24	320/85R38		<b>0874</b>	123	15	<b>7426</b>
14.9-30	16.9-26	16.9-28	380/85R30	420/85R28	<b>0876</b>	130	16	<b>7426</b>
15.5-38	16.9-34				<b>0879</b>	150	18	<b>7426</b>
18.4-24	18.4-26	19.5L-24			<b>0883</b>	167	13	<b>9562</b>
16.9-30	18.4-30	21L-24	420/85R30		<b>0885</b>	191	15	<b>9562</b>

Additional specifications on page 47

## Laclede™ DUO Grip Tractor Chains



- Features H-pattern cross chains which keep the chain on top of the tire
- 3/8" case hardened cross chain
- Bulk continuous DUO grip made in the U.S.A.
- For off-road use only

### LACLEDE™ DUO GRIP TRACTOR CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-24	9.5-28	11.2-24			DUO214	110	8	DUO292
9.5-32	11.2-28	230/95R32	355/80R20		DUO226	124	9	DUO292
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	DUO225	88	6	DUO293
12.4-24					DUO229	130	9	DUO293
9.5-36	9.5-38	11.2-32	12.4-28		DUO218	143	10	DUO293
13.9-36	320/85R34				DUO242	150	10	DUO294
13.6-24	13.6-26	14.9-24			DUO240	141	9	DUO295
14.9-26					DUO250	156	10	DUO295
14.9-28	14.9-30				DUO252	173	11	DUO295
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	DUO260	160	10	DUO296
14.9-38	15.5-38	320/90R46			DUO254	194	12	DUO296
17.5-24	17.5L-24				DUO263	135	8	DUO297
16.9-26	16.9-28	420/85R28			DUO262	169	10	DUO297
18.4-16.1	21.5L-16.1				DUO264	132	7	DUO298
18.4-24					DUO268	171	9	DUO298
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	DUO271	188	10	DUO298
550/65R25	600/65R28							
18.4-34	480/85R34	600/65R25			DUO273	206	11	DUO298
16.9-38	18.4-38	20.8-34	420/80R46	460/85R34	DUO272	226	12	DUO298
480/80R38								
18.4-42	18.4-46	380/90R54	480/80R46		DUO277	221	16	DUO298
20.8-38					DUO276	259	13	DUO299
24.5-32	23.1-34	28.1-34	650/75R32		DUO282	252	12	DUO302

Additional specifications on page 47

### LACLEDE™ BULK CONTINUOUS DUO GRIP™ TRACTOR CHAINS

Laclede's Continuous DUO Grip drums reduce the need to carry large inventories of sets by providing the flexibility to build a range of sizes from each drum. Components and instructions are included in each drum. Each DUO Grip group can make the following: DO-III 3-4 sets, DO-IV 3-4 sets, DO-V 2-3 sets.

Tire Sizes					Group No.	Rim Length in Inches	Number of Cross Chains
16.9-24	16.9-26	16.9-28	16.9-30	16.9-32	D0-IV	1021	60
16.9-34	16.9-38	18.4-28	18.4-28	18.4-30			
18.4-34	18.4-38						
20.8-38	23.1-36	23.1-30	23.1-34		D0-V	851	50

Additional specifications on page 47

## Laclede™ Forklift Chains

- 5.5mm Square straight link alloy cross chains for increased durability and traction
- Reversible for extended use on both sides
- Four link spacing ladder style cross chain configuration



### LACLEDE™ FORKLIFT CHAINS

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
6.50-10	2108FL	15	8	9311
7.50-10      7.00-12      25 X 8.50-14	2110FL	19	10	9311
7.00-15      28 X 9-15      29 X 8-15      8.15-15	2116FL	20	11	9311
250-15      27 X 10.50-15	2129FL	22	11	9313
8.25-15	2128FL	28	14	9313
300-15      28 X 12.50-15	3129FL	30	13	9315

Additional specifications on page 48

## Laclede™ ATV/UTV Chains

- Reinforced V-bar cross chain for increased traction and wear
- Heavy duty .234" cross chain diameter
- Two link spacing ladder style cross chain configuration



### LACLEDE™ ATV/UTV CHAINS

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair
25 X 8 X 10      25 X 8 X 11	612	31	19
22 X 10 X 10      22 X 11 X 8      22 X 11 X 10      22 X 12 X 8      23 X 10 X 10	615	26	13
24 X 9 X 11      24 X 11 X 11      25 X 10 X 11      25 X 11 X 12      26 X 10 X 12	618	37	19
24 X 11 X 9      24 X 11 X 12      25 X 10 X 12      26 X 9 X 12      26 X 10 X 14			
24 X 11 X 10      25 X 8 X 12      25 X 11 X 9      26 X 9 X 14			
26 X 11 X 12      26 X 11 X 14      27 X 8.5 X 15      27 X 9 X 12      27 X 9 X 14	619	41	21
26 X 12 X 12      27 X 10 X 12      27 X 11 X 12      27 X 11 X 14      28 X 9 X 14	621	46	23
28 X 10 X 12      29 X 9 X 14			
27 X 12 X 12      28 X 11 X 14      28 X 12 X 12      29 X 11 X 14      30 X 10 X 14	622	49	25
30 X 10 X 15			
31 X 10 X 14      31 X 10 X 15      32 X 10 X 14	623	52	26
24 X 12 X 10      24 X 13 X 12      25 X 12 X 10      25 X 13.5 X 9	620	36	15
24 X 13 X 9      25 X 12 X 9      25 X 13 X 9			

Additional specifications on page 48

# Laclede™ Snow Blower & Garden Tractor Chains



2 Link Spacing

## LACLEDE™ SNOW HAWG/SNOW BLOWER CHAINS

Tire Sizes	2 Link Spacing	
	Stock No.	Weight Per Pair
4.00 X 4.80-8	1302G	11
4.10 X 3.50-6	3310G	7
13 X 5-6	7156G	8
16 X 6.50 X 8	3315G	15

Additional specifications on page 48

TRACTOR & EQUIPMENT



2 Link Spacing



Cross-Chain



4 Link Spacing

## LACLEDE™ SNOW BLOWER & GARDEN TRACTOR CHAINS

Tire Sizes				2 Link Spacing		4 Link Spacing	
				Stock No.	Weight Per Pair	Stock No.	Weight Per Pair
4.10/3.50 X 4	3.40/3.00 X 5			7106G	3	-----	-
4.10/3.50 X 5	4.10/3.50 X 6	12 X 3.50 X 6	12.25 X 3.50 X 6	3302G	4	-----	-
5.30/4.50 X 6				3309G	7	-----	-
13 X 5 X 6				7129G	6	-----	-
4.00/4.80 X 8				1301G	11	-----	-
16 X 6.50 X 8	15 X 6.00 X 6			3300G	12	-----	-
18 X 6.50 X 8				3312G	14	-----	-
18 X 8.50 X 8				3307G	15	3311G	10
18 X 9.50 X 8				3305G	16	-----	-
20 X 10 X 8	20 X 10 X 10			7145G	20	5320G	13
20 X 8.00 X 10	20 X 8 X 8			1308G	19	5318G	11
6 X 12	23 X 7.50 X 12			5313G	19	-----	-
8 X 12	23 X 8.50 X 12			4300G	22	4301G	13
12 X 12	26 X 12 X 12	27 X 12 X 12		5308G	30	5306G	18
23 X 9.50 X 12	23 X 10.50 X 12			5307G	25	5303G	15
24 X 12 X 12				7164G	25	-----	-
8 X 15	25 X 8.5 X 14	27 X 8.50 X 15		1307G	28	-----	-
29 X 12 X 15				5323G	64	-----	-
12.4-16	31 X 15.5 X 15	33 X 12.5 X 15		5324G	109	-----	-
8 X 16				1311G	33	-----	-

Additional specifications on page 48

# ACCESSORIES



# REPAIR PARTS



MADE IN U.S.A. 



LACLEDE™ TWIST LINK CONTINUOUS CROSS CHAIN - HARDENED

Nominal Size	Material Diameter		Wt. per 100 Ft.	Pitch Length	Cartons		Drums	
	Inches	Decimal			Ft./Pkg.	Part Number	Ft./Pkg.	Part Number
6/0	9/32	0.281	65	1.250	N/A	N/A	800	2553-542-25
7/0	5/16	0.312	77	1.390	100	2556-512-25	N/A	N/A
9/0 TRUCK	3/8	0.375	135	1.265	100	2563-502-25	500	2563-542-25
9/0 TRACTOR	3/8	0.375	115	1.650	100	2563-500-25	N/A	N/A
11/0	7/16	0.437	184	1.563	50	2569-502-25	300	2569-542-25
14/0	17/32	0.531	254	1.734	N/A	N/A	200	2579-542-25



LACLEDE™ SQUARE STRAIGHT LINK ALLOY CROSS CHAIN - CONTINUOUS - HARDENED

MADE IN U.S.A. 

Nominal Size	Material Diameter	Wt. per 100 Ft.	Pitch Length	Cartons		Drums	
				Ft./Pkg	Part Number	Ft./Pkg.	Part Number
6/0	7mm	90	0.955	100	2961-502-25	N/A	N/A
7/0	8mm	107	1.15	100	2962-502-25	N/A	N/A
9/0	10mm	160	1.49	100	2964-512-25	300	2964-544-25
	11mm	197	1.565	N/A	N/A	300	2967-544-25
	13mm	281	1.742	N/A	N/A	200	2969-544-25



LACLEDE™ STRAIGHT LINK SIDE CHAIN - CONTINUOUS - UNHARDENED

MADE IN U.S.A. 

Nominal Size	Material Diameter		Wt. per 100 Ft.	Pitch Length	Cartons		Drums	
	Inches	Decimal			Ft./Pkg.	Part Number	Ft./Pkg.	Part Number
#1*	5/32	0.156	18	1.25	100	2230-512-04	N/A	N/A
1/0*	11/64	0.177	23	1.250	100	1633-512-04	N/A	N/A
2/0*	3/16	0.192	27	1.296	100	1636-512-04	N/A	N/A
4/0	7/32	0.218	34	1.390	100	1643-512-02	N/A	N/A
6/0	9/32	0.281	57	1.810	100	2253-512-02	1000	2253-542-02
7/0 TRUCK	5/16	0.312	67	1.920	100	2256-512-02	800	2256-542-02
9/0	3/8	0.375	104	2.170	100	2263-512-02	500	2263-542-02
11/0	7/16	0.437	142	2.330	100	2269-512-02	350	2269-542-02
	1/2	0.50	183	2.756	N/A	N/A	300	2271-542-82

\* Standard finish zinc plated

ACCESSORIES & REPAIR PARTS

5308F - 5310F



713F - 714F



6003 - 6004

SIDE CHAIN FASTENERS


Stock No.	Used With	Part Number	Std. Package Quantity	Weight Per Package
5308F	PASSENGER, LIGHT TRUCK	7015-308-04	24 PCS./CTN	2
5310F	TRACTOR CHAINS	7015-310-02	12 PCS./CTN	3
713F	MEDIUM & HEAVY TRUCK	6805-713-00	12 PCS./CTN	6
714F	HEAVY GRADER	6804-714-00	1 PC./CTN	1
6003	MEDIUM TRUCK - 6mm	6806-003-04	25 PCS./CTN	7
6002	HEAVY TRUCK - 8mm	6806-002-04	25 PCS./CTN	14
6004	HEAVY EQUIPMENT - 10mm	6806-004-04	25 PCS./CTN	21

\* Keeper Link Included with 6002, 6003 and 6004

CROSS CHAIN HOOKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	Inches	Decimal				
177	3/16	.177	7901-177-04	PASS. CAR (1100 & 1900)	50 PCS./CTN	2
230	13/64	.207	7901-230-04	PASS. CAR (1200 & 1800)	50 PCS./CTN	3
236	15/64	.234	7921-236-04	TRUCK & BUS HOOP	50 PCS./CTN	4
250	1/4	.250	7901-250-02	LIGHT TRUCK	50 PCS./CTN	4
271	5/16	.312	7901-271-02	MED. TRUCK	50 PCS./CTN	8
280	5/16	.312	7901-280-02	FOR 7MM SQUARE WIRE	50 PCS./CTN	8
290	3/8	.375	7901-290-02	HEAVY TRUCK	50 PCS./CTN	13
320	13/32	.406	7901-320-02	TRACTOR	50 PCS./CTN	15
317	7/16	.437	7901-317-02	GRADERS	50 PCS./CTN	22
315	5/16	.312	7921-315-04	HEAVY TRUCK - FOR 7mm STUDDER	50 PCS./CTN	8
330	1/2	.50	7901-330-80	HEAVY EQUIPMENT	25 PCS./CTN	16
394	3/8	.375	7921-394-04	HEAVY TRUCK - FOR 8mm STUDDER	50 PCS./CTN	17
*451	7/16	.437	7990-451-25	*9/0 SWIVEL HOOK	50 PCS./CTN	12
450	9/16	.536	7990-450-23	11/0 SWIVEL HOOK	50 PCS./CTN	23

\* Without Washer



QUICK HOOKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	Inches	Decimal				
5401	1/4	.250	7015-401-04	LIGHT TRUCK	25 PCS./CTN	2
5402	11/32	.344	7015-402-25	MEDIUM TRUCK	25 PCS./CTN	3
5403	13/32	.406	7015-403-25	HEAVY TRUCK	25 PCS./CTN	7



PLATE-TYPE QUICK HOOKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	mm	Decimal				
5404	6mm	.234	7015-404-04	HEAVY TRUCK	25 PCS./CTN	5
5405	5mm	.187	7015-405-04	MEDIUM OR HEAVY TRUCK	25 PCS./CTN	2



CROSS CHAIN REPAIR LINKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	Inches	Decimal				
9333	13/64	.207	7689-333-03	PASSENGER CAR	50 PCS./CTN	2
9253	1/4	.250	7689-253-02	LIGHT SINGLE TRUCK	50 PCS./CTN	2
9263	9/32	.281	7689-263-02	MEDIUM DUTY	50 PCS./CTN	4
9273	5/16	.312	7689-273-02	HEAVY DUTY	50 PCS./CTN	10



SIDE CHAIN REPAIR LINKS

Stock No.	Material Size	Part Number	Description	Standard Package Quantity	Weight per Package
015	3/16 X 1	6580-015-04	PASSENGER CAR	50 PCS./CTN	2
035	1/4 X 1-1/4	6580-035-04	LT. TRUCK, HEAVY PASS.	50 PCS./CTN	3
065	5/16 X 1-1/2	6580-065-04	HEAVY TRUCK	50 PCS./CTN	7
085	3/8 X 1-5/8	6580-085-04	TRACTOR	50 PCS./CTN	11
104	1/2 X 2-1/2	6580-104-04	TRACTOR	25 PCS./CTN	13



ACCESSORIES & REPAIR PARTS



**HEAVY EQUIPMENT CHAIN TIGHTENING TOOL**

Stock No.	Length	Part Number	Description	Standard Package Quantity	Weight per Package
9250	19.75"	7429-250-00	HEAVY TRUCK / EQUIPMENT	1 PC./CTN	12




**EQUIPMENT REPAIR LINKS - PIN COUPLERS**

Stock No.	Material Size	Part Number	Standard Package Quantity	Weight per Package
9281	6mm	7689-281-04	25 PCS./CTN	3
9283	8mm	7689-283-04	25 PCS./CTN	5
9285	10mm	7689-285-04	25 PCS./CTN	9
9287	13mm	7689-287-04	25 PCS./CTN	16
9289	16mm	7689-289-04	25 PCS./CTN	28
9291	22mm	7689-291-04	25 PCS./CTN	33



**CHAIN REPAIR PLIERS**

Stock No.	Type - Length	Part Number	Description	Standard Package Quantity	Weight per Package
7301	SMALL - 6.5"	7017-301-00	REG. PASSENGER	1 PR./CTN	1
7303	LARGE - 18"	7017-303-00	TRUCK	1 PR./CTN	8
7302	X-LARGE - 33.5"	7017-302-23	TRUCK/TRACTOR	1 PR./CTN	10



**TIRE CHAIN ADJUSTERS**

Stock No.	Description	Part Number	Standard Package Quantity	Weight per Package
29110	PASS. CAR - RUBBER	7429-110-00	30 PR./CTN	13
29225	LIGHT TRUCK - RUBBER	7429-225-00	30 PR./CTN	17
29229	HEAVY TRUCK - RUBBER	7429-229-00	30 PR./CTN	38
39110	PASS. CAR - RUBBER ARM TYPE	7439-110-00	30 PR./CTN	17
39225	LIGHT TRUCK - RUBBER ARM TYPE	7439-225-00	30 PR./CTN	28
39229	HEAVY TRUCK - RUBBER ARM TYPE	7439-229-00	30 PR./CTN	52
1172AT	ALPHA TRAX - RUBBER - SMALL	7421-172-00	15 PR./CTN	8
1174AT	ALPHA TRAX - RUBBER - MEDIUM	7421-174-00	15 PR./CTN	8
1176AT	ALPHA TRAX - RUBBER - LARGE	7421-176-00	15 PR./CTN	9
6302	LIGHT TRUCK - SPRING	7016-302-55	1 PR./CTN	1
6303	HEAVY TRUCK - SPRING	7016-303-55	1 PR./CTN	4
6304	TRACTOR/GRADER - SPRING	7016-304-05	1 PR./CTN	13



**REPLACEMENT "T" HANDLES FOR CAM CHAINS**

Stock No.	For Use With	Part Number	Standard Package Quantity	Weight per Package
2800-TH	HEAVY TRUCK	7428-000-00	10 PCS./CTN	5
2801-TH	LIGHT TRUCK	7428-010-00	10 PCS./CTN	2
8015-TH	TRUCK & BUS HOOP	7428-015-05	10 PCS./CTN	6

ACCESSORIES & REPAIR PARTS

# **HARDWARE & INDUSTRIAL**

**ALLOY TOW & BINDER CHAIN**

**USA MADE TRANSPORT TOW & BINDER CHAIN – CLEVIS TYPE**

**USA MADE BULK TRANSPORT CHAIN**

**INTERNATIONAL TRANSPORT TOW & BINDER CHAIN – CLEVIS TYPE**

**INTERNATIONAL BULK TRANSPORT CHAIN**

**RATCHET LOAD BINDERS**

**LEVER LOAD BINDERS**

**OTHER HARDWARE & INDUSTRIAL PRODUCTS OFFERED:**

**OVERHEAD LIFTING**

**CARGO CONTROL**

**MARINE CHAIN**

**PROOF COIL**

**WELDLESS CHAIN**

**HARDWARE ACCESSORIES**

**ASSEMBLIES**

**MERCHANDISERS**

**USA MADE**  **GRADE 80 ALLOY TOW & BINDER CHAINS - CLEVIS TYPE**

Chain Size (in.)	Length (ft.)	Working Load Limit (lbs.)	Approx. Weight Per Unit	Part Number
5/16	20	4,500	23	1022-530-01
3/8	16	7,100	26	1024-416-01
	20		33	1024-520-01
1/2	16	12,000	47	1031-516-01
	20		57	1031-522-01
5/8	20	18,100	82	1037-520-01



**USA MADE**  **GRADE 70 TRANSPORT TOW & BINDER CHAINS - CLEVIS TYPE**



Chain Size (in.)	Length (Ft.)	Working Load Limit (lbs.)	Pieces Per Drum	Approx. Weight Per Unit	Part Number
5/16	14	4,700	25	390	3521-622-56
	16		25	440	3521-623-56
	20		25	538	3562-320-05
	25		20	535	3521-626-57
3/8	14	6,600	25	563	3524-622-57
	16		25	635	3524-623-56
	20		20	630	3583-520-15
	25		15	590	3582-825-05
1/2	16	11,300	10	477	3532-823-55
	20		10	583	3532-725-55

**IMPORT**  **GRADE 70 TRANSPORT TOW & BINDER CHAINS - CLEVIS TYPE**

Chain Size (in.)	Length (Ft.)	Working Load Limit (lbs.)	Pieces Per Drum	Weight Per Drum	Part Number
5/16	16	4,700	25	410	51616G7TB
	20		25	505	51620G7TB
	25		20	499	51625G7TB
3/8	16	6,600	25	579	3816G7TB
	20		20	570	3820G7TB
	25		15	527	3825G7TB
1/2	20	11,300	10	497	1220G7TB



**USA MADE**  **GRADE 70 BULK TRANSPORT CHAIN**



Chain Size (in.)	Ft. Per Drum	Working Load Limit	Weight Per Drum	Part Number
1/4	800	3,150	481	3519-643-55
	400		241	3519-644-55
5/16	550	4,700	522	3523-543-55
	275		261	3523-544-55
3/8	400	6,600	534	3526-543-55
	200		267	3526-544-55
7/16	300	8,750	637	3528-543-55
	150		319	3528-544-55
1/2	200	11,300	490	3533-543-35
	100		245	3533-544-35
5/8	150	15,800	522	3546-543-35
	75		261	3546-544-35

HARDWARE & INDUSTRIAL

**LOAD BINDERS - RATCHET TYPE**

Chain Size (in.)	Chain Rating	Working Load Limit (lbs.)	Weight Per Unit	Finish	Part Number
1/4	1/4 G7	3,150	4	RED	8592-234-14
5/16	5/16 G7 - 3/8 G4	5,400	10	RED	8592-236-14
5/16	5/16 G7 - 3/8 G7	6,600	11	DK RED	8592-237-80
3/8	3/8 G7 - 1/2 G4	9,200	13	RED	8592-238-14
1/2	1/2 G7 - 5/8 G4	13,000	16	RED	8592-240-14



**LOAD BINDERS - LEVER TYPE**

Chain Size (in.)	Chain rating	Working Load Limit (lbs.)	Weight Per Unit	Finish	Part Number
1/4	1/4 G7	3,150	3	RED	8592-104-14
5/16	5/16 G7 - 3/8 G4	5,400	8	RED	8592-106-14
5/16	5/16 G7 - 3/8 G7	6,600	8	DK RED	8592-107-80
3/8	3/8 G7 - 1/2 G4	9,200	13	RED	8592-108-14



**TOUGH-TRUCK BINDERS - RATCHET TYPE**

Chain Size (in.)	Chain Rating	Working Load Limit (lbs.)	Weight Per Unit	Finish	Part Number
5/16	5/16 G10 - 3/8 G10	8,800	12	RED	8592-736-14
3/8	3/8 G10 - 1/2 G8	12,000	14	RED	8592-738-14
1/2	1/2 G10 - 5/8 G8	18,100	16	RED	8592-742-14



**GRADE 80 LOAD BINDERS - RATCHET TYPE**


Chain Size (in.)	Chain Rating	Working Load Limit (lbs.)	Weight Per Unit	Finish	Part Number
5/16	5/16 G8 - 3/8 G8	7,100	11	GREEN	8592-836-14
3/8	3/8 G8 - 1/2 G8	12,000	12	GREEN	8592-838-14
1/2	1/2 G12 - 5/8 G8	18,100	15	GREEN	8592-940-14



HARDWARE & INDUSTRIAL



# **PRODUCT SPECIFICATIONS**



**TIRE CHAIN  
SPECIFICATIONS**

**LACLEDE™ SINGLE TRUCK CHAINS**

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2209R	19	6219	11	25	56	9	250	12.12	.234	66.7	.218	5401	5308F
2211R	23	6219	13	25	56	9	250	12.12	.234	76.2	.218	5401	5308F
2216R/CAM	22	6221	12	25	56	10	250	13.12	.234	72.3	.218	5401	5308F
2219R/CAM	24	6221	13	25	56	10	250	13.12	.234	77.8	.218	5401	5308F
2221R/CAM	26	6221	14	25	56	10	250	13.12	.234	83.4	.218	5401	5308F
2214R/CAM	28	6221	15	25	56	10	250	13.12	.234	89	.218	5401	5308F
2229R/CAM	24	6225	12	25	67	12	250	15.12	.234	72.3	.218	5401	5308F
2228R/CAM	27	6225	14	25	67	12	250	15.12	.234	83.4	.218	5401	5308F
2233CAM	38	6251	11	25	95	9	271	14.37	.281	86.9	.281	5402	5402
2237R/CAM	40	6251	12	25	95	9	271	14.37	.281	94.1	.281	5402	713F
2239CAM	44	6251	13	25	95	9	271	14.37	.281	101.4	.281	5402	5402
2241R/CAM	46	6251	14	25	95	9	271	14.37	.281	108.6	.281	5402	713F
2245R/CAM	49	6251	15	25	95	9	271	14.37	.281	115.8	.281	5402	713F
2247R/CAM	48	6253	14	25	104	10	271	15.62	.281	108.6	.281	5402	713F
2249R/CAM	53	6253	15	25	104	10	271	15.62	.281	115.8	.281	5402	713F
2251R/CAM	62	6260	14	25	132	9	290	16.01	.312	115.2	.312	5402	713F
2255R/CAM	67	6263	14	25	144	10	290	17.4	.312	115.2	.312	5402	713F

**LACLEDE™ REINFORCED SINGLE TRUCK CHAINS**

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2809R	21	6819	11	25	60	9	250	12.12	.234	66.7	.218	5401	5308F
2816R/CAM	25	6821	12	25	69	10	250	13.12	.234	72.3	.218	5401	5308F
2819R/CAM	25	6821	13	25	69	10	250	13.12	.234	77.8	.218	5401	5308F
2821R/CAM	27	6821	14	25	69	10	250	13.12	.234	83.4	.218	5401	5308F
2829R/CAM	26	6825	12	25	76	12	250	15.12	.234	72.3	.218	5401	5308F
2828R/CAM	30	6825	14	25	76	12	250	15.12	.234	83.4	.218	5401	5308F
2837CAM	44	6822	12	25	112	9	271	14.37	.281	94.1	.281	5402	5402
2845R/CAM	54	6822	15	25	112	9	271	14.37	.281	115.8	.281	5402	713F
2847CAM	54	6853	14	25	121	10	271	15.62	.281	108.6	.281	5402	713F
2849R/CAM	57	6853	15	25	121	10	271	15.62	.281	115.8	.281	5402	713F
2851R/CAM	68	6860	14	25	147	9	290	16.01	.312	115.2	.312	5402	713F
2855R	71	6863	14	25	158	10	290	17.4	.312	115.2	.312	5402	713F

**LACLEDE™ DUAL-TRIPLE TRUCK CHAINS**

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
4219CAM	44	6221	26	25	56	10	250	13.12	.234	80.6	.218	5401	5401
4221CAM	49	6221	28	25	56	10	250	13.12	.234	86.2	.218	5401	5401
4310CAM	47	6225	26	25	67	12	250	15.12	.234	80.6	.218	5401	5401
4231R/CAM	51	6225	28	25	67	12	250	15.12	.234	86.2	.218	5401	5308F
4239CAM	84	6251	26	25	95	9	271	14.37	.281	105	.281	5402	713F
4245R/CAM	90	6251	30	25	95	9	271	14.37	.281	119.5	.281	5402	713F
4247CAM	89	6253	28	25	104	10	271	15.62	.281	112.2	.281	5402	713F
4249CAM	92	6253	30	25	104	10	271	15.62	.281	119.5	.281	5402	713F

**TIRE CHAIN SPECIFICATIONS**

# SPECIFICATIONS

## LACLEDE™ REINFORCED DUAL-TRIPLE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
4821R/CAM	53	6821	28	25	69	10	250	13.12	.234	86.2	.218	5401	5308F
4845R/CAM	99	6822	30	25	112	9	271	14.37	.281	119.5	.281	5402	713F
4847CAM	102	6853	28	25	121	10	271	15.62	.281	112.2	.281	5402	713F
4849R/CAM	104	6853	30	25	121	10	271	15.62	.281	119.5	.281	5402	713F
4855CAM	124	6863	28	25	158	10	290	17.4	.312	119	.312	5402	713F

## LACLEDE™ EXTRA-DURABLE SINGLE & DUAL TRIPLE TRUCK/BUS CAM CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2245XDLG	49	N/A	15	25	95	9	271	14.37	.281	115.8	.281	5402	5402
2247XDLG	48	N/A	14	25	104	10	271	15.62	.281	108.6	.281	5402	5402
2249XDLG	53	N/A	15	25	104	10	271	15.62	.281	115.8	.281	5402	5402

## LACLEDE™ 5.5MM SQUARE STRAIGHT LINK ALLOY LIGHT TRUCK CAM CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
3127CAM	27	9313	13	25	73	13	250	16.38	5.5mm	77.8	.218	5401	5401
3129CAM	31	9315	14	25	81	15	250	18.42	5.5mm	83.4	.218	5401	5401

## LACLEDE™ 7MM SQUARE STRAIGHT LINK ALLOY CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2121	41	9413	10	25	131	13	280	15.54	7mm	79.6	.281	5402	713F
2147R/LG	56	9413	14	25	131	13	280	15.54	7mm	108.6	.281	5402	713F
2149R/LG	60	9413	15	25	131	13	280	15.54	7mm	115.8	.281	5402	713F
4147R/LG	93	9413	28	25	131	13	280	15.54	7mm	112.2	.281	5402	713F
4149R/LG	103	9413	30	25	131	13	280	15.54	7mm	119.5	.281	5402	713F

## LACLEDE™ 8MM SQUARE STRAIGHT LINK ALLOY CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2145HD/LG	81/74	9511	12/14	25	172	11	320/290	16.15	8mm	110.7/113.3	.375/.312	5403/5402	713F/5402
2149HD/LG	85/80	9513	12/14	25	194	13	320/290	18.45	8mm	110.7/117.1	.375/.312	5403/5402	713F/5402
4145HD/LG	140/136	9511	24/28	25	172	11	320/290	16.15	8mm	119.4/113.3	.375/.312	5403/5402	713F/5402
4149HD/LG	149/142	9513	24/28	25	194	13	320/290	18.45	8mm	119.4/117.1	.375/.312	5403/5402	713F/5402

**LACLEDE™ WIDE-BASE REINFORCED TRUCK CAM CHAINS**

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
3810CAM	31	6825	13	25	76	12	250	15.12	.234	77.8	.218	5401	5401
3827CAM	41	6853	10	25	121	10	271	15.62	.281	79.6	.281	5402	5402
3828CAM	39	6834	9	25	148	12	271	18.12	.281	72.4	.281	5402	5402
3829CAM	44	6834	10	25	148	12	271	18.12	.281	79.6	.281	5402	5402
3831CAM	47	6834	11	25	148	12	271	18.12	.281	86.9	.281	5402	5402

**LACLEDE™ LIGHT, HEAVY & WIDE BASE TRUCK CABLE CHAINS**

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Rollers	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2011	9	N/A	13	10	29	15	N/A	11.12	N/A	77.35	N/A	N/A	N/A
2014	11	N/A	15	10	32	17	N/A	12.12	N/A	88.85	N/A	N/A	N/A
2016	9	N/A	12	10	32	17	N/A	12.12	N/A	72.35	N/A	N/A	N/A
2019	10	N/A	13	10	32	17	N/A	12.12	N/A	77.85	N/A	N/A	N/A
2021	10	N/A	14	10	32	17	N/A	12.12	N/A	83.35	N/A	N/A	N/A
2028	12	N/A	14	10	36	21	N/A	14.12	N/A	83.35	N/A	N/A	N/A
2029	10	N/A	12	10	36	21	N/A	14.12	N/A	72.35	N/A	N/A	N/A
2037	14	N/A	14	10	30	22	N/A	14.37	N/A	94.68	N/A	N/A	N/A
2041	16	N/A	16	10	30	22	N/A	14.37	N/A	107.05	N/A	N/A	N/A
2045	17	8853	16	10	38	25	N/A	15.62	N/A	107.05	N/A	N/A	N/A
2049	18	8853	17	10	38	25	N/A	15.62	N/A	113.08	N/A	N/A	N/A
3010	11	N/A	13	10	36	21	N/A	14.12	N/A	77.65	N/A	N/A	N/A
3027	10	8853	11	10	36	25	N/A	16.50	N/A	75.55	N/A	N/A	N/A
3029	12	N/A	11	10	49	30	N/A	18.75	N/A	77.35	N/A	N/A	N/A
3055	22	N/A	16	10	48	36	N/A	21.57	N/A	105.55	N/A	N/A	N/A
3069	24	8815	15	10	65	41	N/A	24.33	N/A	99.55	N/A	N/A	N/A
4045	33	8853	32	10	38	25	N/A	15.62	N/A	107.05	N/A	N/A	N/A

**LACLEDE™ WIDE BASE TRUCK CHAINS**

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
3210R/CAM	26	6225	13	25	67	12	250	15.12	.234	77.8	.218	5401	5308F
3227R/CAM	36	6253	10	25	104	10	271	15.62	.281	79.6	.281	5402	713F
3228R/CAM	36	6259	9	25	116	12	271	18.12	.281	72.4	.281	5402	713F
3229R/CAM	39	6259	10	25	116	12	271	18.12	.281	79.6	.281	5402	713F
3231R/CAM	42	6259	11	25	116	12	271	18.12	.281	85.1	.281	5402	713F
3235R	46	6259	12	25	116	12	271	18.12	.281	94.1	.281	5402	713F
3251R	45	6267	10	25	153	17	271	24.37	.281	79.6	.281	5402	713F
3255R/CAM	68	7213	14	25	165	13	290	21.57	.312	108.6	.281	5402	713F
3261R	77	7214	16	25	175	14	290	22.96	.312	123.1	.281	5402	713F
3265R	57	7215	11	25	188	15	290	24.35	.312	86.9	.281	5402	713F
3269CAM	67	7215	13	25	188	15	290	24.35	.312	101.4	.281	5402	713F
3271R/CAM	75	7215	14	25	188	15	290	24.35	.312	108.6	.281	5402	713F

**TIRE CHAIN SPECIFICATIONS**

# SPECIFICATIONS

## LACLEDE™ SINGLE MUD SERVICE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2435	36	6256	9	25	124	8	290	14.62	.312	72.4	.281	5402	713F
2437	39	6256	10	25	124	8	290	14.62	.312	79.6	.281	5402	713F
2439	40	6260	10	25	132	9	290	16.01	.312	79.6	.281	5402	713F
2440	44	6260	11	25	132	9	290	16.01	.312	86.8	.281	5402	713F
2441	61	6434	11	25	200	11	290	17.42	.375	92.2	.312	5402	713F
2448	72	6434	13	25	200	11	290	17.42	.375	107.5	.312	5402	713F
2452	77	6434	14	25	200	11	290	17.42	.375	115.2	.312	5402	713F
2486	92	6438	14	25	236	13	320	19.5	.375	115.2	.312	5402	713F

## LACLEDE™ DUAL-TRIPLE MUD SERVICE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
4412	70	6256	20	25	124	8	290	14.62	.312	83.3	.281	5402	713F
4448	139	6434	26	25	200	11	290	17.42	.375	111.4	.312	5402	713F
4461	144	6434	28	25	200	11	290	17.42	.375	119.0	.312	5402	713F

## LACLEDE™ GRADER & EQUIPMENT CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2612	107	6630	14	5	280	17	320	25.01	.375	115.2	.312	5403	713F
2615	123	6630	16	5	280	17	320	25.01	.375	130.6	.312	5403	713F
2624	166	6640	13	5	420	15	317	28.19	.437	121.5	.375	5403	714F
2633	202	6650	14	5	520	19	317	34.44	.437	130.2	.375	5403	714F
2645	365	6660	15	5	840	20	317	39.42	.531	149.1	.437	714F	714F
2657	447	6670	17	5	960	23	317	44.62	.531	167.8	.437	714F	714F

## LACLEDE™ REINFORCED GRADER & EQUIPMENT CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2915	145	6930	16	5	329	17	320	25.01	.375	130.6	.312	5403	713F

# SPECIFICATIONS

## LACLEDE™ DUO GRIP TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
DUO214	110	N/A	8	5	502	9	290	18.35	.375	117.0	.312	5403	5310F
DUO226	124	N/A	9	5	502	9	290	18.35	.375	129.7	.312	5403	5310F
DUO225	88	N/A	6	5	552	10	320	20.00	.375	89.3	.312	5403	5310F
DUO229	130	N/A	9	5	552	10	320	20.00	.375	129.7	.312	5403	5310F
DUO218	143	N/A	10	5	552	10	320	20.00	.375	142.5	.312	5403	5310F
DUO242	150	N/A	10	5	583	11	320	21.65	.375	142.5	.312	5403	5310F
DUO240	141	DUO295	9	5	613	12	320	23.30	.375	129.7	.312	5403	5310F
DUO250	156	DUO295	10	5	613	12	320	23.30	.375	142.5	.312	5403	5310F
DUO252	173	DUO295	11	5	613	12	320	23.30	.375	155.3	.312	5403	5310F
DUO260	160	DUO296	10	5	614	13	320	24.95	.375	142.5	.312	5403	5310F
DUO254	194	DUO296	12	5	614	13	320	24.95	.375	168.0	.312	5403	5310F
DUO263	135	DUO297	8	5	645	14	320	26.60	.375	117.0	.312	5403	5310F
DUO262	169	DUO297	10	5	645	14	320	26.60	.375	142.5	.312	5403	5310F
DUO264	132	DUO298	7	5	676	17	320	31.55	.375	104.2	.312	5403	5310F
DUO268	171	DUO298	9	5	676	17	320	31.55	.375	129.7	.312	5403	5310F
DUO271	188	DUO298	10	5	676	17	320	31.55	.375	142.5	.312	5403	5310F
DUO273	206	DUO298	11	5	676	17	320	31.55	.375	155.3	.312	5403	5310F
DUO272	226	DUO298	12	5	676	17	320	31.55	.375	168.0	.312	5403	5310F
DUO277	298	DUO298	16	5	676	17	320	31.55	.375	221.1	.312	5403	5310F
DUO276	259	N/A	13	5	769	19	320	34.85	.375	180.8	.312	5403	5310F
DUO282	252	DUO302	12	5	923	22	320	40.48	.375	168.0	.312	5403	5310F

## LACLEDE™ BULK CONTINUOUS DUO GRIP TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
DO-IV	610	DUO298	60	5	676	17	320	31.55	.375	1,021	.312	5403	5310F
DO-V	566	DUO301	50	5	934	21	314	40.32	.375	851	.312	5403	5310F

## LACLEDE™ ROADMASTER TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
0829	53	6434	9	25	200	11	290	17.42	.375	76.8	.312	5403	5309F
0822	62	6434	11	25	200	11	290	17.42	.375	92.2	.312	5403	5309F
0832	70	6434	12	25	200	11	290	17.42	.375	99.8	.312	5403	5309F
0836	82	6445	12	25	252	14	320	21.14	.375	99.8	.312	5403	5309F
0838	95	6445	14	25	252	14	320	21.14	.375	115.2	.312	5403	5309F
0850	76	7420	10	25	276	16	320	23.66	.375	84.5	.312	5403	5309F
0859	105	7420	15	25	276	16	320	23.66	.375	122.9	.312	5403	5309F
0874	123	7426	15	25	320	19	320	27.44	.375	122.9	.312	5403	5309F
0876	130	7426	16	25	320	19	320	27.44	.375	130.6	.312	5403	5309F
0879	150	7426	18	25	320	19	320	27.44	.375	145.9	.312	5403	5309F
0883	167	9562	13	10	456	17	317	31.29	.437	121.5	.375	5403	714F
0885	191	9562	15	10	456	17	317	31.29	.437	138.9	.375	5403	714F

# SPECIFICATIONS

## LACLEDE™ FORKLIFT CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2108FL	15	9311	8	25	65	11	250	14.34	5.5mm	50.0	.218	5401	713F
2110FL	19	9311	10	25	65	11	250	14.34	5.5mm	61.2	.218	5401	713F
2116FL	20	9311	11	25	65	11	250	14.34	5.5mm	66.7	.218	5401	713F
2129FL	22	9313	11	25	73	13	250	16.38	5.5mm	68.1	.218	5401	713F
2128FL	28	9313	14	25	73	13	250	16.38	5.5mm	83.4	.218	5401	713F
3129FL	30	9315	13	25	81	15	250	18.42	5.5mm	77.8	.218	5401	713F

## LACLEDE™ ALL TERRAIN VEHICLE CHAINS - 2 LINK SPACING

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
612ATV	31	6821	19	25	65	10	250	13.12	.234	61.2	.218	5401	5308F
615ATV	26	N/A	13	N/A	N/A	13	250	16.12	.234	44.5	.218	5401	5308F
618ATV	37	N/A	19	N/A	N/A	13	250	16.12	.234	61.2	.218	5401	5308F
619ATV	41	N/A	21	N/A	N/A	13	250	16.12	.234	66.6	.218	5401	5308F
621ATV	46	N/A	23	N/A	N/A	13	250	16.12	.234	72	.218	5401	5308F
622ATV	49	N/A	25	N/A	N/A	13	250	16.12	.234	77.4	.218	5401	5308F
623ATV	52	N/A	26	N/A	N/A	13	250	16.12	.234	80.1	.218	5401	5308F
620ATV	36	N/A	15	N/A	N/A	17	250	20.12	.234	50.0	.218	5401	5308F

## LACLEDE™ SNOW BLOWER & GARDEN TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
7106G	3	N/A	10	N/A	N/A	7	146	6.06	.146	24.4	.118	.192C	.177L
3302G	4	N/A	13	N/A	N/A	7	146	6.06	.146	31.1	.118	.192C	.177L
3309G	7	N/A	14	N/A	N/A	6	156	6.58	.177	36.3	.177	.192C	.177L
7129G	6	N/A	11	N/A	N/A	7	156	7.26	.177	33	.146	.192C	.177L
1301G	11	N/A	13	N/A	N/A	6	231	8.76	.207	37.5	.177	5401	5308F
3300G	12	N/A	13	N/A	N/A	7	230	10.18	.207	38.8	.177	5401	5308F
3312G	14	N/A	15	N/A	N/A	7	230	10.18	.207	42.5	.177	5401	5308F
3307G	15	N/A	13	N/A	N/A	10	230	12.94	.207	38.9	.192	5401	5308F
3311G	10	N/A	7	N/A	N/A	10	230	12.94	.207	37.6	.192	5401	5308F
3305G	16	N/A	13	N/A	N/A	12	230	14.78	.207	37.6	.192	5401	5308F
7145G	20	N/A	16	N/A	N/A	12	230	14.78	.207	46.7	.192	5401	5308F
5320G	13	N/A	9	N/A	N/A	12	230	14.78	.207	48	.192	5401	5308F
1308G	19	N/A	17	N/A	N/A	9	230	12.02	.207	50.5	.192	5401	5308F
5318G	11	N/A	8	N/A	N/A	9	230	12.02	.207	45.4	.192	5401	5308F
5313G	19	N/A	20	N/A	N/A	8	230	11.1	.207	57.5	.177	5401	5308F
4300G	22	N/A	20	N/A	N/A	9	230	12.02	.207	57	.192	5401	5308F
4301G	13	N/A	10	N/A	N/A	9	230	12.02	.207	57	.192	5401	5308F
5308G	30	N/A	22	N/A	N/A	14	230	16.62	.207	64.8	.192	5401	5308F
5306G	18	N/A	11	N/A	N/A	14	230	16.62	.207	63.5	.192	5401	5308F
5307G	25	N/A	20	N/A	N/A	12	231	14.28	.207	57	.192	5401	5308F
5303G	15	N/A	10	N/A	N/A	12	231	14.28	.207	54.4	.192	5401	5308F
7164G	25	N/A	18	N/A	N/A	15	230	17.04	.207	54.4	.192	5401	5308F
1307G	28	N/A	26	N/A	N/A	9	230	12.02	.207	76.5	.192	5401	5308F
5323G	64	N/A	20	N/A	N/A	10	271	17.02	.312	83.3	.281	5402	5308F
5324G	109	N/A	17	N/A	N/A	16	290	23.74	.375	74.6	.312	5402	5308F
1311G	33	N/A	31	N/A	N/A	9	230	12.02	.207	84.2	.192	5401	5308F
1302G	11	N/A	15	N/A	N/A	6	177	8.12	.234	40.1	.146	.192C	.177L
3310G	7	N/A	11	N/A	N/A	5	177	7.12	.234	28.3	.146	.192C	.177L
7156G	8	N/A	10	N/A	N/A	7	177	9.12	.234	27.1	.146	.192C	.177L
3315G	15	N/A	15	N/A	N/A	7	231	9.12	.234	40	.177	5401	5308F

TIRE CHAIN SPECIFICATIONS



Call Toll Free



## **Customer Service Center**

For Tire Chain Products & Accessories:

**800-547-4702 • FAX: 360-694-2508**

**e-mail: [traction.chain@lacledegroupp.com](mailto:traction.chain@lacledegroupp.com)**

**[www.lacledechain.com](http://www.lacledechain.com)**



## **TIRE CHAIN SALES & DISTRIBUTION**

3665 N.W. 32<sup>ND</sup> Ave. - Suite 120  
Vancouver, WA 98660

**Phone: 800-547-4702**

**Local: 360-694-2510**

**FAX: 360-694-2508**

### **HARDWARE & INDUSTRIAL DIVISION**

1549 Fenpark Drive  
Fenton, MO 63026  
Phone: 800-325-2699

### **MANUFACTURING FACILITIES**

2500 East First St.  
Maryville, MO 64468

101 West Ceres Blvd.  
Vicksburg, MS 39183

### **CORPORATE HEADQUARTERS**

1549 Fenpark Drive  
Fenton, MO 63026  
Phone: 800-325-2699